



MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

P.B NO:14, Angallu, Kadiri Road, Madanapalle - 517325, Chittoor Dist, A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019

RESULTS - CIVIL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																													
						14CE113		14CE114		14CE115		14CE115-M1		14CE116		14CE207		14CE208		14CE401		14CHE402		14CSU405		14CSU406		14HUM402		14MAT402		14ME407		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	15691A0121	22.0	10.0	6.0	6.01	-	F	5.0	C	5.0	C	-	-	-	F	6.0	B	9.0	A+	-	F	-	-	-	-	-	F	-	-	-	-	-	-		
2	16691A0102	22.0	22.0	7.82	8.4	7.0	B+	9.0	A+	-	-	4.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	8.0	A	-	-	-	-	-	-		
3	16691A0103	22.0	7.0	6.86	6.34	-	F	0.0	F	-	F	-	-	-	F	7.0	B+	8.0	A	0.0	F	-	-	-	-	-	6.0	B	-	-	-	-	-		
4	16691A0104	22.0	22.0	5.73	6.6	5.0	C	4.0	P	5.0	C	-	-	6.0	B	7.0	B+	8.0	A	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-		
5	16691A0105	22.0	22.0	5.68	6.18	4.0	P	6.0	B	-	-	4.0	P	4.0	P	8.0	A	8.0	A	6.0	B	-	-	-	-	-	7.0	B+	-	-	-	-	-		
6	16691A0107	22.0	19.0	5.79	6.64	5.0	C	5.0	C	-	-	4.0	P	-	F	8.0	A	8.0	A	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-		
7	16691A0108	22.0	16.0	5.88	6.16	-	F	5.0	C	-	F	-	-	5.0	C	8.0	A	6.0	B	5.0	C	-	-	-	-	-	7.0	B+	-	-	-	-	-		
8	16691A0109	22.0	22.0	6.18	7.11	6.0	B	7.0	B+	-	-	5.0	C	5.0	C	9.0	A+	8.0	A	6.0	B	-	-	-	-	-	-	-	5.0	C	-	-	-		
9	16691A0110	22.0	22.0	9.18	8.43	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	-	10.0	O		
10	16691A0111	22.0	19.0	6.05	7.27	7.0	B+	7.0	B+	-	-	5.0	C	5.0	C	7.0	B+	7.0	B+	-	F	-	-	-	-	-	5.0	C	-	-	-	-	-		
11	16691A0112	22.0	22.0	5.27	6.15	4.0	P	6.0	B	-	-	4.0	P	5.0	C	7.0	B+	9.0	A+	5.0	C	-	-	-	-	4.0	P	-	-	-	-	-	-		
12	16691A0113	22.0	11.0	4.91	6.09	-	F	-	F	-	F	-	-	4.0	P	6.0	B	-	F	4.0	P	-	-	-	-	-	6.0	B	-	-	-	-	-		
13	16691A0114	22.0	19.0	5.95	6.96	6.0	B	4.0	P	-	-	4.0	P	-	F	8.0	A	8.0	A	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-		
14	16691A0115	22.0	22.0	9.32	9.47	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	10.0	O	-	-	-	-	-	
15	16691A0116	22.0	16.0	5.81	6.35	-	F	-	F	-	-	4.0	P	5.0	C	7.0	B+	8.0	A	7.0	B+	5.0	C	-	-	-	-	-	-	-	-	-	-		
16	16691A0117	22.0	22.0	6.73	7.61	7.0	B+	7.0	B+	-	-	4.0	P	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	
17	16691A0118	22.0	4.0	6.0	6.2	-	F	-	F	-	F	-	-	-	F	6.0	B	6.0	B	-	F	-	-	-	-	-	-	F	-	-	-	-	-	-	
18	16691A0119	22.0	7.0	6.43	6.73	-	F	5.0	C	-	F	-	-	-	F	7.0	B+	8.0	A	-	F	-	-	-	-	-	F	-	-	-	-	-	-		
19	16691A0120	22.0	22.0	7.95	8.37	8.0	A	8.0	A	-	-	6.0	B	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-	-	7.0	B+	-	-	-		
20	16691A0121	22.0	16.0	6.06	6.82	6.0	B	-	F	4.0	P	-	-	5.0	C	8.0	A	9.0	A+	6.0	B	-	-	-	-	-	F	-	-	-	-	-	-		
21	16691A0122	22.0	4.0	7.0	5.98	-	F	-	F	-	F	-	-	-	F	7.0	B+	7.0	B+	-	F	-	-	-	-	-	-	F	-	-	-	-	-	-	
22	16691A0123	22.0	19.0	6.63	7.53	-	F	6.0	B	-	-	4.0	P	6.0	B	10.0	O	8.0	A	8.0	A	-	-	-	-	-	-	-	6.0	B	-	-	-	-	
23	16691A0124	22.0	22.0	8.91	8.95	10.0	O	9.0	A+	-	-	8.0	A	8.0	A	10.0	O	10.0	O	10.0	O	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	
24	16691A0125	22.0	19.0	6.37	6.74	6.0	B	6.0	B	4.0	P	-	-	-	F	9.0	A+	8.0	A	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	
25	16691A0126	22.0	22.0	7.86	7.54	7.0	B+	7.0	B+	6.0	B	-	-	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	
26	16691A0127	22.0	22.0	7.55	7.47	6.0	B	8.0	A	-	-	4.0	P	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	8.0	A	-	-	-	
27	16691A0128	22.0	22.0	8.18	8.48	8.0	A	8.0	A	-	-	6.0	B	9.0	A+	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	8.0	A	-	-	-	-	
28	16691A0129	22.0	22.0	7.82	7.5	7.0	B+	9.0	A+	5.0	C	-	-	7.0	B+	10.0	O	10.0	O	8.0	A	-	-	-	-	8.0	A	-	-	-	-	-	-	-	
29	16691A0130	22.0	10.0	5.3	6.31	-	F	-	F	4.0	P	-	-	5.0	C	5.0	C	8.0	A	0.0	F	-	-	-	-	-	F	-	-	-	-	-	-	-	
30	16691A0131	22.0	22.0	7.41	8.1	7.0	B+	6.0	B	-	-	5.0	C	6.0	B	9.0	A+	8.0	A	10.0	O	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	
31	16691A0132	22.0	13.0	5.85	5.87	-	F	4.0	P	-	F	-	-	4.0	P	9.0	A+	8.0	A	6.0	B	-	-	-	-	-	-	F	-	-	-	-	-	-	
32	16691A0133	22.0	22.0	5.86	6.02	6.0	B	5.0	C	4.0	P	-	-	5.0	C	8.0	A	7.0	B+	6.0	B	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	
33	16691A0135	22.0	22.0	6.09	6.53	6.0	B	6.0	B	4.0	P	-	-	6.0	B	8.0	A	8.0	A	6.0	B	-	-	-	-	-	-	-	-	-	6.0	B	-	-	-
34	16691A0136	22.0	22.0	6.59	6.8	6.0	B	7.0	B+	4.0	P	-	-	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	
35	16691A0137	22.0	10.0	5.2	5.88	-	F	-	F	-	-	4.0	P	-	F	6.0	B	8.0	A	-	F	-	-	-	-	-	4.0	P	-	-	-	-	-	-	
36	16691A0140	22.0	22.0	5.36	6.0	5.0	C	5.0	C	4.0	P	-	-	4.0	P	6.0	B	8.0	A	6.0	B	-	-	-	-	-	6.0	B	-	-	-	-	-	-	
37	16691A0141	22.0	22.0	6.55	6.59	5.0	C	7.0	B+	4.0	P	-	-	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - CIVIL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																
						14CE113		14CE114		14CE115		14CE115-M1		14CE116		14CE207		14CE208		14CE401		14CHE402		14CSU405		14CSU406		14HUM402		14MAT402		14ME407		14PHY402				
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0				
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G			
38	16691A0142	22.0	22.0	6.0	7.02	6.0	B	6.0	B	4.0	P	-	-	5.0	C	8.0	A	7.0	B+	7.0	B+	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-			
39	16691A0143	22.0	22.0	9.45	9.21	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-		
40	16691A0144	22.0	22.0	9.18	9.19	10.0	O	10.0	O	-	-	6.0	B	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-		
41	16691A0145	22.0	22.0	9.36	9.08	10.0	O	10.0	O	-	-	7.0	B+	10.0	O	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-		
42	16691A0147	22.0	10.0	5.1	6.01	-	F	-	F	-	F	-	-	-	F	6.0	B	6.0	B	4.0	P	-	-	-	-	-	-	5.0	C	-	-	-	-	-	-	-		
43	16691A0148	22.0	22.0	8.18	8.19	8.0	A	8.0	A	-	-	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-		
44	16691A0149	22.0	22.0	6.91	7.63	6.0	B	7.0	B+	-	-	5.0	C	7.0	B+	8.0	A	8.0	A	8.0	A	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-		
45	16691A0150	22.0	22.0	6.5	7.14	6.0	B	7.0	B+	-	-	4.0	P	6.0	B	8.0	A	8.0	A	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-			
46	16691A0151	22.0	19.0	6.05	6.49	5.0	C	-	F	4.0	P	-	-	6.0	B	8.0	A	9.0	A+	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-	-	-		
47	16691A0152	22.0	22.0	6.64	7.02	7.0	B+	6.0	B	-	-	4.0	P	6.0	B	7.0	B+	9.0	A+	8.0	A	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-		
48	16691A0154	22.0	22.0	7.95	8.11	8.0	A	9.0	A+	-	-	4.0	P	8.0	A	8.0	A	9.0	A+	10.0	O	-	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	
49	17695A0101	22.0	22.0	7.5	7.91	8.0	A	8.0	A	-	-	4.0	P	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-		
50	17695A0102	22.0	22.0	8.32	8.47	10.0	O	7.0	B+	-	-	7.0	B+	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	8.0	A	-	-	-	-	-	
51	17695A0103	22.0	22.0	7.73	8.25	9.0	A+	7.0	B+	-	-	4.0	P	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-		
52	17695A0104	22.0	22.0	5.73	6.4	6.0	B	4.0	P	-	-	4.0	P	6.0	B	10.0	O	8.0	A	5.0	C	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	-		
53	17695A0105	22.0	22.0	6.86	6.94	8.0	A	6.0	B	-	-	4.0	P	6.0	B	8.0	A	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
54	17695A0106	22.0	22.0	8.14	8.26	9.0	A+	8.0	A	-	-	4.0	P	7.0	B+	9.0	A+	10.0	O	10.0	O	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	
55	17695A0107	22.0	22.0	8.32	8.51	9.0	A+	10.0	O	-	-	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
56	17695A0108	22.0	22.0	7.45	7.64	9.0	A+	7.0	B+	-	-	5.0	C	6.0	B	10.0	O	9.0	A+	8.0	A	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
57	17695A0109	22.0	22.0	6.36	6.83	6.0	B	5.0	C	5.0	C	-	-	7.0	B+	9.0	A+	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
58	17695A0110	22.0	22.0	6.32	6.59	6.0	B	6.0	B	5.0	C	-	-	6.0	B	8.0	A	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
59	17695A0111	22.0	22.0	8.18	8.31	9.0	A+	9.0	A+	-	-	4.0	P	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	
60	17695A0112	22.0	22.0	6.45	6.45	5.0	C	6.0	B	5.0	C	-	-	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	
61	17695A0113	22.0	22.0	8.27	8.48	8.0	A	9.0	A+	-	-	7.0	B+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	
62	17695A0114	22.0	22.0	7.0	6.82	8.0	A	6.0	B	6.0	B	-	-	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	
63	17695A0115	22.0	22.0	7.23	7.25	8.0	A	6.0	B	5.0	C	-	-	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	
64	17695A0116	22.0	22.0	6.45	6.53	6.0	B	5.0	C	5.0	C	-	-	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	
65	17695A0117	22.0	22.0	7.41	7.99	9.0	A+	6.0	B	-	-	5.0	C	8.0	A	8.0	A	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	
66	17695A0118	22.0	22.0	8.18	8.1	8.0	A	9.0	A+	-	-	6.0	B	9.0	A+	9.0	A+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-
67	17695A0119	22.0	22.0	6.05	6.15	5.0	C	6.0	B	5.0	C	-	-	5.0	C	8.0	A	9.0	A+	6.0	B	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	
68	17695A0120	22.0	20.0	5.65	6.59	6.0	B	6.0	B	-	-	4.0	P	6.0	B	7.0	B+	-	F	6.0	B	-	-	-	-	5.0	C	-	-	-	-	-	-	-	-	-		
69	17695A0121	22.0	10.0	5.4	5.67	4.0	P	4.0	P	-	F	-	-	-	F	6.0	B	9.0	A+	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
70	17695A0122	22.0	22.0	8.27	8.38	8.0	A	10.0	O	-	-	6.0	B	7.0	B+	10.0	O	9.0	A+	10.0	O	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	

Course Code	Course Name
14CE113	DESIGN OF CONCRETE STRUCTURES
14CE114	IRRIGATION ENGINEERING
14CE115	SOIL MECHANICS
14CE115-M1	SOIL MECHANICS/GEOTECHNICAL ENGINEERING-1 (MOOC)
14CE116	WATER SUPPLY AND WASTE WATER ENGINEERING

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - CIVIL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																													
						14CE113		14CE114		14CE115		14CE115-M1		14CE116		14CE207		14CE208		14CE401		14CHE402		14CSU405		14CSU406		14HUM402		14MAT402		14ME407		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14CE207	CADD PRACTICALS-I
14CE208	SOIL MECHANICS PRACTICALS
14CE401	PAVEMENT DESIGN, MAINTENANCE AND MANAGEMENT
14CHE402	GREEN CHEMISTRY AND CATALYSIS FOR SUSTAINABLE ENVIRONMENT
14CSU405	HUMAN COMPUTER INTERACTION
14CSU406	MOBILE COMPUTING
14HUM402	HUMAN RESOURCE DEVELOPMENT
14MAT402	ENGINEERING OPTIMIZATION
14ME407	AUTOMATION & ROBOTICS
14PHY402	OPTICAL PHYSICS AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average



MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

P.B NO:14, Angallu, Kadiri Road, Madanapalle - 517325, Chittoor Dist, A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	15691A05B9	22.0	22.0	6.73	6.65	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	5.0	C	-	-	-	-	6.0	B	-	-	-	-		
2	15699A0504	22.0	22.0	6.91	6.68	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	10.0	O	9.0	A+	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
3	16691A0501	22.0	22.0	6.73	6.99	-	-	6.0	B	7.0	B+	6.0	B	5.0	C	10.0	O	10.0	O	5.0	C	-	-	7.0	B+	-	-	-	-	-	-		
4	16691A0502	22.0	22.0	6.55	7.81	-	-	6.0	B	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	4.0	P	-	-	-	-	-	-	-	-	8.0	A		
5	16691A0503	22.0	22.0	7.0	7.94	-	-	8.0	A	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	7.0	B+		
6	16691A0504	22.0	22.0	6.14	7.28	-	-	7.0	B+	5.0	C	6.0	B	5.0	C	9.0	A+	9.0	A+	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
7	16691A0505	22.0	22.0	5.82	6.61	-	-	6.0	B	6.0	B	6.0	B	4.0	P	8.0	A	8.0	A	4.0	P	-	-	-	-	-	-	-	-	6.0	B		
8	16691A0506	22.0	22.0	6.23	7.13	-	-	6.0	B	6.0	B	6.0	B	5.0	C	9.0	A+	10.0	O	4.0	P	6.0	B	-	-	-	-	-	-	-	-		
9	16691A0507	22.0	22.0	7.82	8.29	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	5.0	C	8.0	A	-	-	-	-	-	-	-	-		
10	16691A0508	22.0	22.0	7.68	8.34	-	-	8.0	A	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
11	16691A0509	22.0	13.0	5.62	6.45	-	-	-	F	4.0	P	-	F	5.0	C	9.0	A+	8.0	A	4.0	P	-	-	-	-	-	F	-	-	-	-		
12	16691A0510	22.0	16.0	6.13	6.48	-	-	-	F	6.0	B	6.0	B	6.0	B	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	F	-	-	-	-		
13	16691A0512	22.0	22.0	8.23	8.83	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	5.0	C	-	-	-	-	-	-	-	-	10.0	O		
14	16691A0513	22.0	22.0	7.73	8.5	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	5.0	C	-	-	-	-	9.0	A+	-	-	-	-		
15	16691A0514	22.0	22.0	6.91	7.22	-	-	7.0	B+	8.0	A	6.0	B	6.0	B	9.0	A+	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
16	16691A0515	22.0	19.0	6.16	6.69	-	-	6.0	B	6.0	B	5.0	C	6.0	B	9.0	A+	9.0	A+	4.0	P	-	-	-	-	-	F	-	-	-	-		
17	16691A0516	22.0	7.0	5.43	6.2	-	-	4.0	P	-	F	-	F	-	F	7.0	B+	6.0	B	-	F	-	-	-	-	-	-	-	-	-	F		
18	16691A0517	22.0	22.0	6.41	6.59	-	-	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	6.0	B	-	-	-	-	-	-	-	-	5.0	C		
19	16691A0518	22.0	22.0	8.5	9.26	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	-	-	9.0	A+	-	-	-	-		
20	16691A0519	22.0	22.0	7.41	8.18	-	-	7.0	B+	8.0	A	6.0	B	7.0	B+	10.0	O	10.0	O	5.0	C	-	-	-	-	8.0	A	-	-	-	-		
21	16691A0520	22.0	22.0	7.95	9.09	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	-	-	9.0	A+	-	-	-	-		
22	16691A0521	22.0	19.0	6.11	6.08	-	-	6.0	B	5.0	C	6.0	B	5.0	C	9.0	A+	10.0	O	-	F	-	-	-	-	4.0	P	-	-	-	-		
23	16691A0522	22.0	22.0	7.32	7.96	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	4.0	P	-	-	-	-	-	-	-	-	8.0	A		
24	16691A0523	22.0	22.0	7.18	7.63	-	-	8.0	A	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	5.0	C	-	-	-	-	6.0	B	-	-	-	-		
25	16691A0524	22.0	22.0	7.59	8.57	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	4.0	P	-	-	-	-	-	-	-	-	8.0	A		
26	16691A0525	22.0	7.0	6.0	6.61	-	-	-	F	-	F	-	F	-	F	8.0	A	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-	Ab	
27	16691A0526	22.0	22.0	8.68	9.12	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	-	-	-	-	-	-	10.0	O		
28	16691A0527	22.0	22.0	6.77	7.15	-	-	7.0	B+	7.0	B+	7.0	B+	5.0	C	9.0	A+	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
29	16691A0528	22.0	22.0	7.59	7.69	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
30	16691A0529	22.0	22.0	8.09	8.91	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	-	-	-	-	-	-	9.0	A+		
31	16691A0530	22.0	4.0	7.0	6.18	-	-	-	F	-	F	-	F	0.0	F	7.0	B+	7.0	B+	-	F	-	-	-	-	-	F	-	-	-	-		
32	16691A0531	22.0	22.0	7.14	7.85	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	10.0	O	5.0	C	-	-	-	-	-	-	-	-	7.0	B+		
33	16691A0532	22.0	22.0	5.95	6.55	-	-	5.0	C	6.0	B	6.0	B	4.0	P	9.0	A+	10.0	O	4.0	P	-	-	-	-	-	-	-	-	6.0	B		
34	16691A0533	22.0	19.0	6.95	7.98	-	-	7.0	B+	7.0	B+	6.0	B	-	F	8.0	A	10.0	O	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
35	16691A0534	22.0	7.0	6.71	6.4	-	-	5.0	C	-	F	0.0	F	-	F	9.0	A+	7.0	B+	-	F	-	-	-	F	-	-	-	-	-	-		
36	16691A0535	22.0	22.0	7.73	8.64	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	6.0	B	-	-	-	-	-	-	-	-	8.0	A		
37	16691A0536	22.0	19.0	6.95	7.69	-	-	-	F	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	4.0	P	-	-	9.0	A+	-	-	-	-	-	-	-	

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average, CGPA - Cumulative Grade Points Average

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	16691A0537	22.0	22.0	8.14	8.69	-	-	7.0	B+	9.0	A+	7.0	B+	8.0	A	9.0	A+	10.0	O	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-		
39	16691A0538	22.0	22.0	6.77	7.24	-	-	7.0	B+	6.0	B	6.0	B	5.0	C	9.0	A+	10.0	O	5.0	C	-	-	8.0	A	-	-	-	-	-	-		
40	16691A0539	22.0	13.0	6.31	6.21	-	-	6.0	B	-	F	6.0	B	0.0	F	9.0	A+	8.0	A	4.0	P	-	-	-	-	-	F	-	-	-	-		
41	16691A0540	22.0	22.0	7.95	8.27	-	-	8.0	A	9.0	A+	8.0	A	6.0	B	10.0	O	10.0	O	5.0	C	-	-	-	-	-	-	-	9.0	A+			
42	16691A0541	22.0	22.0	9.05	9.49	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-		
43	16691A0542	22.0	22.0	5.5	6.2	-	-	6.0	B	4.0	P	4.0	P	4.0	P	9.0	A+	8.0	A	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
44	16691A0543	22.0	22.0	6.18	7.55	-	-	7.0	B+	6.0	B	5.0	C	4.0	P	10.0	O	10.0	O	4.0	P	-	-	6.0	B	-	-	-	-	-	-		
45	16691A0544	22.0	22.0	8.23	9.05	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
46	16691A0545	22.0	22.0	8.0	8.41	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-		
47	16691A0546	22.0	22.0	6.91	7.73	-	-	7.0	B+	6.0	B	6.0	B	6.0	B	9.0	A+	10.0	O	5.0	C	-	-	8.0	A	-	-	-	-	-	-		
48	16691A0547	22.0	22.0	6.91	7.25	-	-	8.0	A	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	4.0	P	-	-	-	-	-	-	-	7.0	B+			
49	16691A0548	22.0	19.0	5.53	6.15	5.0	C	6.0	B	5.0	C	4.0	P	5.0	C	8.0	A	7.0	B+	-	F	-	-	-	-	-	-	-	-	-	-		
50	16691A0550	22.0	19.0	5.53	6.36	-	-	6.0	B	5.0	C	4.0	P	4.0	P	8.0	A	7.0	B+	-	F	-	-	-	-	-	-	-	6.0	B			
51	16691A0551	22.0	22.0	6.77	7.05	-	-	7.0	B+	6.0	B	6.0	B	7.0	B+	10.0	O	9.0	A+	5.0	C	-	-	-	-	6.0	B	-	-	-	-		
52	16691A0552	22.0	22.0	7.27	8.04	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	10.0	O	5.0	C	-	-	8.0	A	-	-	-	-	-	-		
53	16691A0553	22.0	10.0	5.6	6.31	-	-	-	F	4.0	P	0.0	F	4.0	P	9.0	A+	7.0	B+	-	F	-	-	-	-	-	F	-	-	-	-		
54	16691A0554	22.0	22.0	7.05	7.17	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	9.0	A+	10.0	O	5.0	C	-	-	7.0	B+	-	-	-	-	-	-		
55	16691A0555	22.0	22.0	7.32	8.35	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	10.0	O	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
56	16691A0557	22.0	19.0	6.0	6.8	-	-	-	F	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	4.0	P	-	-	-	-	4.0	P	-	-	-	-		
57	16691A0559	22.0	22.0	6.45	7.04	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
58	16691A0560	22.0	10.0	5.8	6.31	-	-	-	F	-	F	-	F	4.0	P	7.0	B+	7.0	B+	-	F	-	-	6.0	B	-	-	-	-	-	-		
59	16691A0561	22.0	19.0	6.37	6.54	-	-	-	F	6.0	B	5.0	C	7.0	B+	8.0	A	9.0	A+	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
60	16691A0562	22.0	13.0	6.54	6.72	-	-	0.0	F	0.0	F	4.0	P	7.0	B+	8.0	A	9.0	A+	-	F	6.0	B	-	-	-	-	-	-	-	-		
61	16691A0563	22.0	22.0	7.95	8.46	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
62	16691A0564	22.0	22.0	7.59	8.14	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
63	16691A0565	22.0	22.0	7.55	8.46	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	5.0	C	8.0	A	-	-	-	-	-	-	-	-		
64	16691A0566	22.0	22.0	7.68	7.99	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
65	16691A0567	22.0	19.0	6.05	6.39	-	-	5.0	C	4.0	P	6.0	B	5.0	C	9.0	A+	8.0	A	-	F	-	-	7.0	B+	-	-	-	-	-	-		
66	16691A0568	22.0	22.0	7.82	8.48	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-		
67	16691A0569	22.0	22.0	6.05	6.47	-	-	4.0	P	5.0	C	6.0	B	6.0	B	8.0	A	9.0	A+	6.0	B	-	-	-	-	6.0	B	-	-	-	-		
68	16691A0570	22.0	22.0	8.77	9.4	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	-	-	10.0	O	-	-	-	-		
69	16691A0574	22.0	22.0	8.23	9.02	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	-	-		
70	16691A0575	22.0	22.0	8.23	8.64	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-		
71	16691A0577	22.0	22.0	7.05	7.81	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
72	16691A0578	22.0	10.0	5.6	5.83	-	-	-	F	-	F	4.0	P	4.0	P	7.0	B+	9.0	A+	-	F	-	F	-	-	-	-	-	-	-	-		
73	16691A0579	22.0	22.0	8.5	9.04	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-		
74	16691A0580	22.0	22.0	5.5	6.68	-	-	5.0	C	4.0	P	5.0	C	5.0	C	8.0	A	9.0	A+	4.0	P	6.0	B	-	-	-	-	-	-	-	-		
75	16691A0581	22.0	19.0	5.11	6.02	-	-	-	F	5.0	C	4.0	P	4.0	P	8.0	A	9.0	A+	4.0	P	4.0	P	-	-	-	-	-	-	-	-		
76	16691A0582	22.0	22.0	7.32	7.37	-	-	8.0	A	6.0	B	6.0	B	6.0	B	10.0	O	9.0	A+	6.0	B	-	-	9.0	A+	-	-	-	-	-	-		
77	16691A0583	22.0	22.0	6.86	7.81	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	10.0	O	10.0	O	4.0	P	7.0	B+	-	-	-	-	-	-	-	-		
78	16691A0584	22.0	22.0	7.36	8.16	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-		

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	16691A0585	22.0	22.0	7.45	8.07	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-		
80	16691A0586	22.0	22.0	8.09	8.59	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-		
81	16691A0587	22.0	22.0	8.5	9.17	-	-	9.0	A+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	-	-		
82	16691A0588	22.0	22.0	8.64	9.04	-	-	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-		
83	16691A0589	22.0	22.0	7.91	8.67	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-		
84	16691A0590	22.0	22.0	7.27	7.92	-	-	8.0	A	6.0	B	7.0	B+	7.0	B+	8.0	A	9.0	A+	5.0	C	-	-	9.0	A+	-	-	-	-	-	-		
85	16691A0591	22.0	22.0	8.36	8.75	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	-	-		
86	16691A0592	22.0	22.0	7.68	7.77	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-		
87	16691A0594	22.0	19.0	6.47	6.18	-	-	5.0	C	5.0	C	5.0	C	6.0	B	9.0	A+	9.0	A+	-	F	-	-	8.0	A	-	-	-	-	-	-		
88	16691A0595	22.0	22.0	6.14	6.12	-	-	5.0	C	4.0	P	6.0	B	6.0	B	9.0	A+	9.0	A+	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
89	16691A0596	22.0	22.0	6.91	7.2	-	-	6.0	B	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
90	16691A0597	22.0	22.0	7.73	8.86	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	10.0	O	9.0	A+	6.0	B	-	-	-	-	9.0	A+	-	-	-	-		
91	16691A0598	22.0	22.0	7.32	7.06	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-		
92	16691A0599	22.0	22.0	7.64	7.81	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	4.0	P	-	-	9.0	A+	-	-	-	-	-	-		
93	16691A05A0	22.0	22.0	8.5	9.19	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-		
94	16691A05A1	22.0	19.0	6.42	6.62	-	-	-	F	6.0	B	5.0	C	6.0	B	10.0	O	9.0	A+	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
95	16691A05A2	22.0	22.0	6.95	7.34	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	4.0	P	7.0	B+	-	-	-	-	-	-	-	-		
96	16691A05A3	22.0	19.0	5.26	6.08	-	-	-	F	5.0	C	4.0	P	4.0	P	8.0	A	9.0	A+	4.0	P	5.0	C	-	-	-	-	-	-	-	-		
97	16691A05A4	22.0	16.0	6.44	6.4	-	-	-	F	0.0	F	6.0	B	6.0	B	8.0	A	9.0	A+	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
98	16691A05A5	22.0	22.0	8.09	8.72	-	-	8.0	A	9.0	A+	8.0	A	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	8.0	A	-	-	-	-	-	-		
99	16691A05A6	22.0	10.0	6.3	5.85	-	-	-	F	-	F	-	F	4.0	P	8.0	A	10.0	O	-	F	5.0	C	-	-	-	-	-	-	-	-		
100	16691A05A7	22.0	22.0	8.23	8.99	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	9.0	A+	-	-	-	-	-	-	-	-		
101	16691A05A8	22.0	22.0	7.68	8.52	-	-	7.0	B+	8.0	A	8.0	A	6.0	B	10.0	O	10.0	O	6.0	B	8.0	A	-	-	-	-	-	-	-	-		
102	16691A05A9	22.0	22.0	6.36	7.3	-	-	6.0	B	5.0	C	6.0	B	6.0	B	10.0	O	9.0	A+	6.0	B	5.0	C	-	-	-	-	-	-	-	-		
103	16691A05B0	22.0	22.0	7.45	8.07	-	-	7.0	B+	6.0	B	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-		
104	16691A05B1	22.0	22.0	5.91	6.44	-	-	6.0	B	5.0	C	6.0	B	5.0	C	8.0	A	9.0	A+	5.0	C	5.0	C	-	-	-	-	-	-	-	-		
105	16691A05B2	22.0	22.0	7.73	8.02	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	10.0	O	9.0	A+	4.0	P	9.0	A+	-	-	-	-	-	-	-	-		
106	16691A05B3	22.0	22.0	7.95	8.22	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	7.0	B+	-	-	-	-	-	-	-	-		
107	16691A05B6	22.0	22.0	7.82	8.42	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	6.0	B	8.0	A	-	-	-	-	-	-	-	-		
108	16691A05B7	22.0	22.0	5.5	5.84	-	-	4.0	P	4.0	P	6.0	B	5.0	C	8.0	A	9.0	A+	4.0	P	-	-	6.0	B	-	-	-	-	-	-		
109	16691A05B9	22.0	22.0	7.32	8.43	8.0	A	7.0	B+	6.0	B	8.0	A	7.0	B+	7.0	B+	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-	-	-		
110	16691A05C0	22.0	22.0	7.32	8.22	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-		
111	16691A05C2	22.0	22.0	8.64	9.22	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	-	-	9.0	A+	-	-	-	-		
112	16691A05C3	22.0	19.0	5.74	6.81	-	-	-	F	5.0	C	5.0	C	4.0	P	8.0	A	9.0	A+	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
113	16691A05C4	22.0	22.0	6.64	7.11	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	4.0	P	-	-	-	-	5.0	C	-	-	-	-		
114	16691A05C5	22.0	16.0	5.56	6.88	-	-	-	F	-	F	5.0	C	4.0	P	8.0	A	8.0	A	4.0	P	-	-	6.0	B	-	-	-	-	-	-		
115	16691A05C7	22.0	22.0	6.95	7.27	-	-	5.0	C	8.0	A	7.0	B+	6.0	B	8.0	A	10.0	O	5.0	C	-	-	8.0	A	-	-	-	-	-	-		
116	16691A05C8	22.0	22.0	7.45	8.28	-	-	6.0	B	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	5.0	C	8.0	A	-	-	-	-	-	-	-	-		
117	16691A05D0	22.0	22.0	8.0	8.73	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	6.0	B	-	-	-	-	-	-	-	-	-	-		
118	16691A05D1	22.0	22.0	6.73	7.18	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	8.0	A	9.0	A+	5.0	C	-	-	8.0	A	-	-	-	-	-	-		
119	16691A05D2	22.0	22.0	7.09	8.4	-	-	6.0	B	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	6.0	B	-	-	-	-	-	-	8.0	A	-	-		

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	16691A05D3	22.0	22.0	8.36	8.92	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	-	-	-	-	8.0	A	-	-	-	-		
121	16691A05D4	22.0	22.0	5.95	6.15	-	-	6.0	B	5.0	C	6.0	B	5.0	C	8.0	A	8.0	A	4.0	P	-	-	-	-	-	-	7.0	B+	-	-		
122	16691A05D5	22.0	22.0	7.09	7.33	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	9.0	A+	7.0	B+	-	-	-	-	5.0	C	-	-	-	-		
123	16691A05D6	22.0	22.0	7.23	7.17	9.0	A+	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	6.0	B	-	-	-	-	-	-	-	-	-	-		
124	16691A05D7	22.0	22.0	6.91	8.36	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	5.0	C	-	-	-	-	6.0	B	-	-	-	-		
125	16691A05D8	22.0	22.0	7.59	8.41	-	-	7.0	B+	7.0	B+	9.0	A+	7.0	B+	10.0	O	9.0	A+	5.0	C	8.0	A	-	-	-	-	-	-	-	-		
126	16691A05D9	22.0	19.0	6.0	6.35	-	-	-	F	5.0	C	6.0	B	6.0	B	8.0	A	7.0	B+	4.0	P	-	-	-	-	-	-	7.0	B+	-	-		
127	16691A05E0	22.0	22.0	6.27	7.06	6.0	B	6.0	B	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	-	-		
128	16691A05E1	22.0	22.0	6.95	7.36	7.0	B+	6.0	B	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-	-	-	-	-	-	-	-	-		
129	16691A05E2	22.0	22.0	7.05	7.23	-	-	8.0	A	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	4.0	P	-	-	-	-	-	-	8.0	A	-	-		
130	16691A05E3	22.0	22.0	8.09	8.52	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
131	16691A05E4	22.0	22.0	7.32	7.93	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
132	16691A05E5	22.0	22.0	6.41	6.78	-	-	5.0	C	6.0	B	6.0	B	6.0	B	8.0	A	10.0	O	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
133	16691A05E6	22.0	22.0	6.18	6.84	6.0	B	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	4.0	P	-	-	-	-	-	-	-	-	-	-		
134	16691A05E7	22.0	22.0	6.14	7.44	-	-	5.0	C	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
135	16691A05E8	22.0	22.0	6.05	7.02	6.0	B	5.0	C	5.0	C	7.0	B+	5.0	C	8.0	A	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	-	-		
136	16691A05E9	22.0	22.0	5.91	6.66	-	-	5.0	C	6.0	B	6.0	B	5.0	C	8.0	A	9.0	A+	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
137	16691A05F0	22.0	22.0	7.45	8.17	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
138	16691A05F1	22.0	14.0	5.64	6.33	6.0	B	4.0	P	5.0	C	6.0	B	-	F	8.0	A	-	Ab	-	F	-	-	-	-	-	-	-	-	-			
139	16691A05F2	22.0	22.0	6.0	6.0	-	-	4.0	P	5.0	C	6.0	B	7.0	B+	8.0	A	7.0	B+	5.0	C	7.0	B+	-	-	-	-	-	-	-	-		
140	16691A05F3	22.0	22.0	5.55	6.16	-	-	4.0	P	5.0	C	5.0	C	5.0	C	8.0	A	8.0	A	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
141	16691A05F4	22.0	22.0	8.09	8.54	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	9.0	A+	-	-	-	-	-	-	-	-		
142	16691A05F5	22.0	22.0	7.82	8.9	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	-	-	-	-	8.0	A	-	-	-	-		
143	16691A05F6	22.0	22.0	8.91	9.37	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-		
144	16691A05F7	22.0	22.0	8.91	9.25	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	9.0	A+	-	-	-	-	-	-		
145	16691A05F8	22.0	22.0	7.41	8.22	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	10.0	O	10.0	O	6.0	B	-	-	-	-	-	-	7.0	B+	-	-		
146	16691A05F9	22.0	22.0	7.32	7.93	-	-	6.0	B	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	6.0	B	-	-	7.0	B+	-	-	-	-	-	-		
147	16691A05G0	22.0	22.0	7.55	8.25	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	-	-		
148	16691A05G1	22.0	22.0	6.82	7.01	6.0	B	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	5.0	C	-	-	-	-	-	-	-	-	-	-		
149	16691A05G2	22.0	22.0	6.14	6.84	-	-	4.0	P	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
150	16691A05G3	22.0	22.0	8.64	8.92	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-	-	-	9.0	A+	-	-	-	-		
151	16691A05G5	22.0	22.0	7.55	8.24	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	5.0	C	-	-	7.0	B+	-	-	-	-	-	-		
152	16691A05G6	22.0	19.0	6.74	6.89	7.0	B+	6.0	B	5.0	C	6.0	B	6.0	B	9.0	A+	10.0	O	-	F	-	-	-	-	-	-	-	-	-	-		
153	16691A05G7	22.0	22.0	8.23	8.67	9.0	A+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	6.0	B	-	-	-	-	-	-	-	-	-	-		
154	16691A05G8	22.0	22.0	6.14	6.55	7.0	B+	5.0	C	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	4.0	P	-	-	-	-	-	-	-	-	-	-		
155	16691A05G9	22.0	22.0	8.73	9.46	-	-	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	10.0	O	6.0	B	9.0	A+	-	-	-	-	-	-	-	-		
156	16691A05H0	22.0	22.0	8.14	8.58	9.0	A+	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	9.0	A+	6.0	B	-	-	-	-	-	-	-	-	-	-		
157	16691A05H1	22.0	22.0	6.0	7.07	-	-	6.0	B	5.0	C	6.0	B	6.0	B	8.0	A	7.0	B+	4.0	P	7.0	B+	-	-	-	-	-	-	-	-		
158	16691A05H2	22.0	22.0	7.82	8.43	9.0	A+	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	-	-	-	-	-	-		
159	16691A05H3	22.0	22.0	7.32	7.72	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	9.0	A+	6.0	B	-	-	-	-	-	-	8.0	A	-	-		
160	16691A05H4	22.0	22.0	8.09	8.72	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-		

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
161	16691A05H5	22.0	22.0	8.5	9.36	-	-	9.0	A+	7.0	B+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	-	-	9.0	A+	-	-	-	-	-	-		
162	16691A05H6	22.0	16.0	5.69	6.45	-	-	5.0	C	-	F	4.0	P	-	F	8.0	A	9.0	A+	4.0	P	-	-	6.0	B	-	-	-	-	-	-		
163	16691A05H7	22.0	22.0	7.5	8.32	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	9.0	A+	9.0	A+	6.0	B	-	-	8.0	A	-	-	-	-	-	-		
164	16691A05H8	22.0	19.0	6.21	6.32	-	-	5.0	C	5.0	C	5.0	C	6.0	B	8.0	A	9.0	A+	-	F	-	-	7.0	B+	-	-	-	-	-	-		
165	16699A0502	22.0	19.0	6.26	6.52	7.0	B+	6.0	B	5.0	C	6.0	B	5.0	C	8.0	A	8.0	A	-	F	-	-	-	-	-	-	-	-	-	-		
166	16699A0504	22.0	19.0	5.88	5.82	-	-	5.0	C	4.0	P	5.0	C	5.0	C	8.0	A	7.0	B+	-	F	-	-	7.0	B+	-	-	-	-	-	-		
167	16699A0505	22.0	22.0	8.09	8.58	8.0	A	9.0	A+	9.0	A+	7.0	B+	8.0	A	10.0	O	10.0	O	5.0	C	-	-	-	-	-	-	-	-	-	-		
168	16699A0506	22.0	22.0	7.82	8.32	-	-	9.0	A+	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
169	16699A0507	22.0	22.0	6.41	6.35	-	-	6.0	B	6.0	B	4.0	P	7.0	B+	9.0	A+	9.0	A+	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
170	16699A0508	22.0	19.0	6.53	6.4	-	-	6.0	B	5.0	C	6.0	B	6.0	B	9.0	A+	8.0	A	-	F	-	-	-	-	-	7.0	B+	-	-	-		
171	16699A0509	22.0	19.0	6.11	5.9	-	-	6.0	B	4.0	P	6.0	B	6.0	B	9.0	A+	7.0	B+	-	F	-	-	-	-	-	6.0	B	-	-	-		
172	16699A0510	22.0	10.0	7.2	6.79	-	-	-	F	-	F	7.0	B+	5.0	C	10.0	O	8.0	A	-	F	-	-	-	F	-	-	-	-	-	-		
173	16699A0511	22.0	22.0	6.77	7.37	-	-	8.0	A	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
174	16699A0513	22.0	22.0	6.77	6.73	6.0	B	7.0	B+	6.0	B	7.0	B+	7.0	B+	10.0	O	9.0	A+	4.0	P	-	-	-	-	-	-	-	-	-	-		
175	16699A0514	22.0	22.0	7.95	8.63	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	9.0	A+	-	-	-	-	-	-		
176	16699A0515	22.0	19.0	6.58	7.0	-	-	6.0	B	5.0	C	6.0	B	6.0	B	10.0	O	9.0	A+	-	F	-	-	-	-	-	6.0	B	-	-	-		
177	16699A0516	22.0	22.0	7.41	7.66	-	-	9.0	A+	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
178	16699A0518	22.0	22.0	7.95	8.36	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
179	16699A0519	22.0	22.0	7.14	7.46	-	-	8.0	A	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	4.0	P	-	-	7.0	B+	-	-	-	-	-	-		
180	16699A0520	22.0	22.0	8.36	8.6	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	5.0	C	-	-	-	-	9.0	A+	-	-	-	-		
181	16699A0521	22.0	19.0	5.68	6.05	-	-	5.0	C	4.0	P	6.0	B	5.0	C	8.0	A	7.0	B+	-	F	-	-	6.0	B	-	-	-	-	-	-		
182	16699A0522	22.0	22.0	7.95	8.52	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	8.0	A	-	-	-	-		
183	16699A0523	22.0	22.0	8.09	8.15	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	4.0	P	-	-	-	-	-	9.0	A+	-	-	-		
184	16699A0524	22.0	22.0	6.64	7.04	-	-	7.0	B+	6.0	B	6.0	B	7.0	B+	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	8.0	A	-	-	-		
185	16699A0526	22.0	22.0	7.27	7.71	-	-	7.0	B+	6.0	B	8.0	A	8.0	A	10.0	O	10.0	O	5.0	C	-	-	-	-	6.0	B	-	-	-	-		
186	16699A0527	22.0	2.0	8.0	6.37	-	Ab	-	F	-	Ab	-	Ab	-	Ab	8.0	A	-	Ab	-	F	-	-	-	-	-	-	-	-	-	-		
187	16699A0528	22.0	22.0	7.55	7.92	8.0	A	7.0	B+	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	-	-	-	-	-	-		
188	16699A0529	22.0	22.0	7.68	8.48	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	-	8.0	A	-	-	-		
189	16699A0530	22.0	22.0	6.55	6.92	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	10.0	O	8.0	A	4.0	P	-	-	-	-	-	7.0	B+	-	-	-		
190	16699A0531	22.0	13.0	5.92	6.16	-	-	-	F	-	F	0.0	F	5.0	C	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	6.0	B	-	-	-		
191	16699A0532	22.0	22.0	7.41	7.64	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	6.0	B	-	-	-	-		
192	16699A0533	22.0	19.0	5.95	6.26	9.0	A+	5.0	C	4.0	P	5.0	C	-	F	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-		
193	16699A0535	22.0	19.0	7.26	7.34	-	-	7.0	B+	5.0	C	7.0	B+	7.0	B+	10.0	O	8.0	A	-	F	-	-	8.0	A	-	-	-	-	-	-		
194	16699A0536	22.0	22.0	7.68	8.43	-	-	7.0	B+	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	5.0	C	-	-	9.0	A+	-	-	-	-	-	-		
195	16699A0537	22.0	16.0	5.5	5.73	-	-	5.0	C	4.0	P	5.0	C	4.0	P	9.0	A+	8.0	A	-	F	-	-	-	F	-	-	-	-	-	-		
196	16699A0538	22.0	19.0	6.79	6.98	6.0	B	6.0	B	7.0	B+	6.0	B	6.0	B	10.0	O	8.0	A	-	F	-	-	-	-	-	-	-	-	-	-		
197	16699A0539	22.0	13.0	5.54	5.63	6.0	B	-	F	4.0	P	-	F	-	F	8.0	A	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-		
198	16699A0540	22.0	16.0	6.88	6.23	-	-	7.0	B+	6.0	B	5.0	C	8.0	A	9.0	A+	7.0	B+	-	F	-	-	-	-	-	F	-	-	-	-		
199	16699A0541	22.0	22.0	8.27	8.52	9.0	A+	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	5.0	C	-	-	-	-	-	-	-	-	-	-		
200	16699A0542	22.0	16.0	4.88	5.56	-	-	4.0	P	4.0	P	4.0	P	4.0	P	8.0	A	7.0	B+	-	F	-	-	-	-	0.0	F	-	-	-	-		
201	16699A0543	22.0	22.0	8.09	8.31	-	-	9.0	A+	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	5.0	C	-	-	8.0	A	-	-	-	-	-	-		

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - COMPUTER SCIENCE & ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU114		14CSU115		14CSU116		14CSU117		14CSU209		14CSU210		14CSU402-M1		14ECE407		14HUM402		14MAT402		14ME407		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	16699A0544	22.0	22.0	6.95	7.05	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	4.0	P	-	-	-	-	-	-	8.0	A	-	-		
203	16699A0545	22.0	22.0	7.41	8.07	8.0	A	8.0	A	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	4.0	P	-	-	-	-	-	-	-	-	-	-		
204	16699A0546	22.0	22.0	7.73	8.25	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	10.0	O	9.0	A+	5.0	C	-	-	9.0	A+	-	-	-	-	-	-		
205	16699A0547	22.0	22.0	7.5	7.82	-	-	7.0	B+	7.0	B+	8.0	A	8.0	A	9.0	A+	9.0	A+	4.0	P	-	-	9.0	A+	-	-	-	-	-	-		
206	16699A0548	22.0	22.0	6.55	6.19	7.0	B+	6.0	B	6.0	B	6.0	B	7.0	B+	10.0	O	8.0	A	4.0	P	-	-	-	-	-	-	-	-	-	-		
207	16699A0549	22.0	22.0	7.41	7.82	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
208	16699A0551	22.0	22.0	7.82	8.49	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	6.0	B	-	-	-	-	7.0	B+	-	-	-	-		
209	16699A0552	22.0	22.0	7.68	8.02	-	-	8.0	A	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	4.0	P	-	-	-	-	7.0	B+	-	-	-	-		
210	16699A0553	22.0	19.0	5.16	6.02	5.0	C	4.0	P	4.0	P	0.0	F	5.0	C	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-		
211	16699A0555	22.0	22.0	7.41	7.54	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	10.0	O	4.0	P	-	-	8.0	A	-	-	-	-	-	-		
212	16699A0556	22.0	13.0	6.15	5.71	7.0	B+	-	F	-	F	4.0	P	5.0	C	9.0	A+	7.0	B+	-	F	-	-	-	-	-	-	-	-	-	-		
213	16699A0557	22.0	22.0	5.82	5.89	5.0	C	6.0	B	5.0	C	5.0	C	7.0	B+	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-		
214	16699A0558	22.0	22.0	6.09	6.28	7.0	B+	6.0	B	4.0	P	7.0	B+	6.0	B	9.0	A+	7.0	B+	4.0	P	-	-	-	-	-	-	-	-	-	-		
215	16699A0559	22.0	22.0	6.41	7.66	6.0	B	6.0	B	6.0	B	7.0	B+	6.0	B	10.0	O	8.0	A	4.0	P	-	-	-	-	-	-	-	-	-	-		
216	17695A0502	22.0	22.0	7.64	7.83	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	8.0	A	10.0	O	4.0	P	-	-	9.0	A+	-	-	-	-	-	-		

Course Code	Course Name
14CHE402	GREEN CHEMISTRY AND CATALYSIS FOR SUSTAINABLE ENVIRONMENT
14CSU114	COMPUTER NETWORKS
14CSU115	UNIX/WINDOWS & SHELL PROGRAMMING
14CSU116	COMPILER CONSTRUCTIONS
14CSU117	SOFTWARE ENGINEERING
14CSU209	COMPILER & COMPUTER NETWORKS PRACTICALS
14CSU210	UNIX/WINDOWS & SHELL PROGRAMMING PRACTICALS
14CSU402-M1	AI:KNOWLEDGE REPRESENTATION AND REASONING (MOOC)
14ECE407	PATTERN RECOGNITION & ITS APPLICATIONS
14HUM402	HUMAN RESOURCE DEVELOPMENT
14MAT402	ENGINEERING OPTIMIZATION
14ME407	AUTOMATION & ROBOTICS
14PHY402	OPTICAL PHYSICS AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average



MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

P.B NO:14, Angallu, Kadiri Road, Madanapalle - 517325, Chittoor Dist, A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						14CHE402		14CSE302		14CSU406		14ECE404		14ECE405		14EEE115		14EEE116		14EEE117		14EEE207		14EEE208		14EEE416-M1		14ENG103		14ENG303		14HUM303		14HUM402		14ME407		14PHY402			
						Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0			
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	15691A0236	22.0	22.0	7.32	7.31	-	-	0.0	P	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	10.0	O	8.0	A	8.0	A	-	-	-	-	-	-	-	-	5.0	C		
2	15691A0253	22.0	16.0	6.5	5.98	-	-	-	-	-	-	-	-	-	-	F	-	F	5.0	C	9.0	A+	7.0	B+	6.0	B	7.0	B+	-	-	0.0	P	6.0	B	-	-	-	-	-	-	
3	15691A0266	22.0	22.0	7.09	5.98	-	-	0.0	P	-	-	6.0	B	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-		
4	15691A0277	22.0	22.0	7.36	7.31	-	-	0.0	P	-	-	-	-	8.0	A	6.0	B	7.0	B+	6.0	B	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-		
5	15699A0206	22.0	3.0	6.0	6.29	-	-	-	F	-	-	-	-	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	6.0	B	-	Ab	-	-	-	-	-	-	-	-	-	-		
6	16691A0201	22.0	22.0	6.23	6.17	-	-	-	-	-	-	-	-	-	-	6.0	B	4.0	P	4.0	P	8.0	A	8.0	A	7.0	B+	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-		
7	16691A0202	22.0	19.0	6.42	6.32	-	-	-	-	-	-	-	-	-	-	F	5.0	C	5.0	C	8.0	A	8.0	A	7.0	B+	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-			
8	16691A0203	22.0	10.0	6.7	5.87	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	9.0	A+	8.0	A	6.0	B	5.0	C	-	-	0.0	P	-	F	-	-	-	-			
9	16691A0204	22.0	22.0	8.5	8.66	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	8.0	A	0.0	P	-	-	8.0	A	-	-	-	-		
10	16691A0205	22.0	22.0	7.95	7.96	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	8.0	A	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	-		
11	16691A0206	22.0	19.0	6.68	6.57	-	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	-	F	9.0	A+	8.0	A	6.0	B	7.0	B+	-	F	-	-	7.0	B+	-	-	-	-		
12	16691A0207	22.0	22.0	6.86	6.78	-	-	0.0	P	6.0	B	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-		
13	16691A0208	22.0	16.0	6.5	6.23	-	-	0.0	P	-	-	-	-	-	-	6.0	B	5.0	C	-	F	8.0	A	8.0	A	6.0	B	7.0	B+	-	-	-	-	-	F	-	-	-	-		
14	16691A0210	22.0	22.0	7.36	8.17	-	-	-	-	7.0	B+	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	6.0	B	7.0	B+	0.0	P	-	-	-	-	-	-	-	-		
15	16691A0211	22.0	22.0	7.36	7.75	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-		
16	16691A0212	22.0	22.0	6.36	6.28	-	-	-	-	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	8.0	A	8.0	A	6.0	B	7.0	B+	-	-	0.0	P	6.0	B	-	-	-	-	-	-
17	16691A0213	22.0	22.0	7.95	8.04	8.0	A	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	9.0	A+	8.0	A	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-		
18	16691A0214	22.0	22.0	7.14	6.57	7.0	B+	0.0	P	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
19	16691A0215	22.0	19.0	6.74	6.88	-	-	-	-	-	F	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	10.0	O	6.0	B	6.0	B	0.0	P	-	-	-	-	-	-	-	-	-	-
20	16691A0216	22.0	22.0	7.32	7.19	-	-	-	-	6.0	B	-	-	-	-	8.0	A	6.0	B	6.0	B	9.0	A+	10.0	O	7.0	B+	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
21	16691A0218	22.0	22.0	6.82	6.4	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	6.0	B	7.0	B+	0.0	P	-	-	8.0	A	-	-	-	-	-	-
22	16691A0219	22.0	22.0	8.91	8.84	-	-	-	-	8.0	A	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
23	16691A0220	22.0	22.0	8.18	8.24	9.0	A+	0.0	P	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-	-	
24	16691A0221	22.0	22.0	7.64	7.7	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
25	16691A0223	22.0	22.0	7.91	7.6	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-	-	
26	16691A0224	22.0	22.0	8.14	7.95	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	7.0	B+	9.0	A+	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	8.0	A	-	-	-	-
27	16691A0225	22.0	22.0	5.95	6.63	-	-	-	-	6.0	B	-	-	-	-	6.0	B	4.0	P	4.0	P	8.0	A	8.0	A	7.0	B+	6.0	B	-	F	-	-	-	-	-	-	-	-	-	
28	16691A0226	22.0	22.0	7.14	6.91	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
29	16691A0227	22.0	19.0	7.26	6.79	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	-	F	9.0	A+	9.0	A+	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
30	16691A0228	22.0	10.0	6.8	6.47	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	8.0	A	7.0	B+	5.0	C	-	F	-	-	-	-	F	-	-	-	-	-	
31	16691A0229	22.0	22.0	9.18	9.46	-	-	-	-	-	-	9.0	A+	-	-	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	9.0	A+	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
32	16691A0230	22.0	22.0	6.91	6.91	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	6.0	B	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-	-	-
33	16691A0231	22.0	19.0	7.21	7.63	-	-	-	-	6.0	B	-	-	-	-	-	F	7.0	B+	6.0	B	9.0	A+	10.0	O	6.0	B	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	
34	16691A0232	22.0	22.0	5.55	6.49	-	-	-	-	-	-	-	-	-	-	4.0	P	5.0	C	4.0	P	8.0	A	8.0	A	6.0	B	5.0	C	0.0	P	-	-	6.0	B	-	-	-	-	-	-
35	16691A0233	22.0	19.0	6.84	7.03	-	-	0.0	P	-	F	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
36	16691A0234	22.0	22.0	6.45	6.56	-	-	0.0	P	-	-	-	-	6.0	B	6.0	B	5.0	C	6.0	B	9.0	A+	8.0	A	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
37	16691A0236	22.0	13.0	6.62	6.67	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	8.0	A	6.0	B	7.0	B+	0.0	P	-	-	5.0	C	-	-	-	-	-	-	

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average, CGPA - Cumulative Grade Points Average

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																	
						14CHE402		14CSE302		14CSU406		14ECE404		14ECE405		14EEE115		14EEE116		14EEE117		14EEE207		14EEE208		14EEE416-M1		14ENG103		14ENG303		14HUM303		14HUM402		14ME407		14PHY402	
						Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
79	16699A0205	22.0	22.0	6.95	7.75	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-
80	16699A0206	22.0	22.0	7.23	6.9	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	6.0	B	7.0	B+	0.0	P	-	-	-	-	-	-	-	-
81	16699A0207	22.0	22.0	7.95	8.04	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	6.0	B	9.0	A+	0.0	P	-	-	-	-	-	-	-	-
82	16699A0208	22.0	22.0	8.77	8.56	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	7.0	B+	10.0	O	10.0	O	8.0	A	9.0	A+	0.0	P	-	-	-	-	-	-	-	-
83	16699A0209	22.0	13.0	7.08	6.47	-	-	-	-	-	-	-	-	-	-	F	-	F	-	F	8.0	A	8.0	A	6.0	B	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	
84	16699A0210	22.0	22.0	7.5	7.09	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-
85	16699A0212	22.0	19.0	6.26	5.97	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	F	6.0	B	8.0	A	8.0	A	6.0	B	4.0	P	0.0	P	-	-	-	-	-	-	-	-
86	16699A0213	22.0	22.0	7.82	8.14	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	7.0	B+	8.0	A	0.0	P	-	-	-	-	-	-	-	-
87	16699A0214	22.0	6.0	6.5	6.6	-	-	0.0	P	-	-	0.0	F	-	-	-	F	-	F	0.0	F	-	Ab	-	Ab	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-
88	16699A0215	22.0	22.0	8.41	8.78	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	9.0	A+	10.0	O	9.0	A+	7.0	B+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-
89	16699A0217	22.0	0.0	0.0	6.47	-	-	-	-	-	-	-	-	-	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	-	0.0	P	-	Ab	-	-	-	-	
90	16699A0218	22.0	22.0	6.64	6.45	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	6.0	B	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-
91	17690A0201	22.0	22.0	7.14	6.92	-	-	-	-	7.0	B+	-	-	-	-	6.0	B	6.0	B	6.0	B	10.0	O	10.0	O	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	-	-
92	17690A0202	22.0	0.0	0.0	6.68	-	-	-	F	-	-	-	-	-	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	Ab	-	-	-	-	-	-	Ab	-	-	-	-
93	17690A0203	22.0	22.0	7.86	7.74	-	-	0.0	P	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	8.0	A	-	-
94	17690A0204	22.0	22.0	6.14	6.28	-	-	0.0	P	-	-	-	-	-	-	6.0	B	4.0	P	6.0	B	8.0	A	7.0	B+	6.0	B	6.0	B	-	-	-	-	-	-	7.0	B+	-	-
95	17690A0205	22.0	22.0	6.86	6.58	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-
96	17690A0206	22.0	22.0	8.82	8.43	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	10.0	O	7.0	B+	9.0	A+	-	-	-	-	-	-	9.0	A+	-	-
97	17690A0208	22.0	22.0	7.77	7.53	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	10.0	O	8.0	A	7.0	B+	8.0	A	-	-	0.0	P	-	-	-	-	-	-
98	17690A0209	22.0	19.0	7.11	6.73	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	-	F	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	0.0	P	7.0	B+	-	-	-	-
99	17690A0210	22.0	17.0	5.24	5.99	-	-	0.0	P	-	-	-	-	6.0	B	4.0	P	4.0	P	4.0	P	0.0	F	7.0	B+	7.0	B+	-	F	-	-	-	-	-	-	-	-	-	
100	17690A0211	22.0	22.0	7.68	7.25	-	-	0.0	P	6.0	B	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	8.0	A	8.0	A	-	-	-	-	-	-	-	-	-	-
101	17690A0212	22.0	22.0	6.32	6.16	-	-	0.0	P	6.0	B	-	-	-	-	6.0	B	5.0	C	4.0	P	8.0	A	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-
102	17690A0213	22.0	19.0	6.11	5.72	-	-	-	F	-	-	-	-	-	-	F	5.0	C	4.0	P	8.0	A	8.0	A	6.0	B	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	
103	17690A0214	22.0	22.0	8.05	7.42	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	6.0	B	9.0	A+	-	-	0.0	P	-	-	-	-	-	-
104	17690A0215	22.0	22.0	9.27	9.24	-	-	-	-	-	-	-	-	10.0	O	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	9.0	A+	9.0	A+	0.0	P	-	-	-	-	-	-	-	-
105	17690A0216	22.0	17.0	5.94	6.15	-	-	0.0	P	-	-	-	-	-	-	6.0	B	4.0	P	-	F	-	Ab	7.0	B+	6.0	B	6.0	B	-	-	-	-	7.0	B+	-	-	-	-
106	17690A0217	22.0	19.0	6.74	6.32	-	-	0.0	P	-	-	-	-	-	-	6.0	B	5.0	C	-	F	8.0	A	8.0	A	7.0	B+	7.0	B+	-	-	-	-	7.0	B+	-	-	-	-
107	17690A0218	22.0	22.0	8.45	8.18	-	-	0.0	P	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	10.0	O	8.0	A	7.0	B+	8.0	A	-	-	-	-	-	-	10.0	O	-	-
108	17690A0219	22.0	11.0	6.09	5.43	-	-	-	F	-	-	-	-	-	-	F	-	Ab	-	F	-	Ab	8.0	A	6.0	B	5.0	C	-	-	-	-	6.0	B	-	-	-	-	
109	17690A0220	22.0	22.0	7.68	7.58	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-
110	17690A0221	22.0	19.0	6.53	5.91	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	5.0	C	5.0	C	9.0	A+	7.0	B+	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-
111	17690A0222	22.0	7.0	7.14	6.64	-	-	-	-	-	-	-	-	-	-	F	0.0	F	-	F	8.0	A	8.0	A	6.0	B	-	F	0.0	P	-	-	-	F	-	-	-	-	
112	17690A0223	22.0	19.0	6.37	6.18	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	8.0	A	7.0	B+	-	F	-	-	-	-	6.0	B	-	-	-	-
113	17690A0224	22.0	19.0	6.26	6.48	-	-	0.0	P	6.0	B	-	-	-	-	5.0	C	6.0	B	-	F	8.0	A	8.0	A	6.0	B	6.0	B	-	-	-	-	-	-	-	-	-	
114	17695A0201	22.0	22.0	8.36	8.14	-	-	-	-	-	-	8.0	A	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	8.0	A	-	-	0.0	P	-	-	-	-	-	-
115	17695A0202	22.0	22.0	7.36	7.48	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	8.0	A	6.0	B	10.0	O	8.0	A	7.0	B+	7.0	B+	-	-	0.0	P	-	-	-	-	-	-
116	17695A0203	22.0	22.0	8.14	8.05	-	-	0.0	P	8.0	A	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-
117	17695A0204	22.0	22.0	7.5	7.44	-	-	0.0	P	-	-	8.0	A	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-
118	17695A0205	22.0	16.0	6.31	6.23	-	-	0.0	P	-	-	5.0	C	-	-	-	F	-	F	5.0	C	8.0	A	8.0	A	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-
119	17695A0206	22.0	22.0	8.14	8.08	-	-	0.0	P	-	-	9.0	A+	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						14CHE402		14CSE302		14CSU406		14ECE404		14ECE405		14EEE115		14EEE116		14EEE117		14EEE207		14EEE208		14EEE416-M1		14ENG103		14ENG303		14HUM303		14HUM402		14ME407		14PHY402			
						Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0			
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G		
120	17695A0207	22.0	22.0	7.45	6.34	-	-	0.0	P	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	9.0	A+	7.0	B+	8.0	A	-	-	-	-	8.0	A	-	-	-	-		
121	17695A0208	22.0	22.0	8.23	7.78	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-			
122	17695A0209	22.0	22.0	8.5	8.28	-	-	-	-	-	-	8.0	A	-	-	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	8.0	A	0.0	P	-	-	-	-	-	-	-	-		
123	17695A0210	22.0	19.0	6.21	6.58	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	-	F	4.0	P	7.0	B+	7.0	B+	6.0	B	7.0	B+	-	-	0.0	P	-	-	-	-	-	-		
124	17695A0211	22.0	22.0	7.77	7.58	-	-	0.0	P	7.0	B+	-	-	-	-	8.0	A	7.0	B+	8.0	A	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-		
125	17695A0212	22.0	22.0	7.0	7.33	-	-	-	-	-	-	7.0	B+	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	8.0	A	7.0	B+	7.0	B+	-	-	0.0	P	-	-	-	-	-	-		
126	17695A0213	22.0	22.0	7.14	6.95	-	-	0.0	P	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	9.0	A+	8.0	A	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-		
127	17695A0214	22.0	22.0	6.68	6.99	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	4.0	P	9.0	A+	9.0	A+	7.0	B+	7.0	B+	0.0	P	-	-	-	-	-	-	-	-		
128	17695A0215	22.0	22.0	6.68	7.18	-	-	-	-	-	-	7.0	B+	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	0.0	P	-	-	-	-	-	-		
129	17695A0216	22.0	22.0	6.95	6.82	-	-	0.0	P	6.0	B	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-		
130	17695A0217	22.0	22.0	6.05	5.98	-	-	0.0	P	-	-	6.0	B	-	-	4.0	P	5.0	C	6.0	B	8.0	A	9.0	A+	6.0	B	6.0	B	-	-	-	-	-	-	-	-	-	-		
131	17695A0218	22.0	22.0	6.23	6.48	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	5.0	C	5.0	C	8.0	A	8.0	A	7.0	B+	5.0	C	-	-	-	-	-	-	-	-	-	-		
132	17695A0219	22.0	22.0	6.68	6.74	-	-	-	-	-	-	-	-	7.0	B+	5.0	C	6.0	B	6.0	B	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	
133	17695A0220	22.0	22.0	7.27	6.74	-	-	0.0	P	7.0	B+	-	-	-	-	6.0	B	6.0	B	6.0	B	10.0	O	10.0	O	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-		
134	17695A0221	22.0	22.0	7.82	7.48	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	8.0	A	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	
135	17695A0222	22.0	22.0	7.41	7.48	-	-	-	-	-	-	7.0	B+	-	-	8.0	A	7.0	B+	6.0	B	10.0	O	10.0	O	7.0	B+	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	
136	17695A0223	22.0	22.0	7.36	7.67	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	7.0	B+	6.0	B	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	-	-	-	-	-	-	-	-		
137	17695A0224	22.0	19.0	6.42	6.76	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	-	F	8.0	A	8.0	A	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	4.0	P		
138	17695A0225	22.0	16.0	6.13	6.59	-	-	0.0	P	-	-	-	-	-	-	F	5.0	C	-	F	8.0	A	8.0	A	6.0	B	5.0	C	-	-	-	-	6.0	B	-	-	-	-	-	-	
139	17695A0226	22.0	19.0	7.11	7.52	-	-	-	-	-	-	-	F	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	6.0	B	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	
140	17695A0227	22.0	22.0	6.09	6.21	-	-	0.0	P	-	-	-	-	-	-	4.0	P	6.0	B	4.0	P	8.0	A	8.0	A	7.0	B+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	
141	17695A0228	22.0	22.0	7.5	7.39	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	7.0	B+	6.0	B	8.0	A	10.0	O	6.0	B	8.0	A	-	-	-	-	-	-	-	-	-	-		
142	17695A0229	22.0	19.0	6.21	5.8	-	-	-	-	-	-	-	-	-	-	4.0	P	5.0	C	-	F	9.0	A+	8.0	A	7.0	B+	6.0	B	-	-	0.0	P	6.0	B	-	-	-	-	-	-
143	17695A0230	22.0	22.0	7.05	6.97	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	5.0	C	9.0	A+	10.0	O	7.0	B+	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	
144	17695A0231	22.0	19.0	5.74	6.17	-	-	0.0	P	-	-	-	-	-	F	6.0	B	5.0	C	4.0	P	9.0	A+	8.0	A	5.0	C	5.0	C	-	-	-	-	-	-	-	-	-	-		
145	17695A0232	22.0	22.0	7.0	7.13	-	-	0.0	P	-	-	-	-	8.0	A	7.0	B+	6.0	B	4.0	P	9.0	A+	8.0	A	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-		
146	17695A0233	22.0	22.0	7.73	7.42	-	-	0.0	P	-	-	-	-	9.0	A+	7.0	B+	7.0	B+	7.0	B+	10.0	O	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
147	17695A0234	22.0	19.0	5.84	5.87	-	-	0.0	P	-	-	-	-	6.0	B	5.0	C	-	F	4.0	P	7.0	B+	8.0	A	7.0	B+	5.0	C	-	-	-	-	-	-	-	-	-	-		
148	17695A0236	22.0	22.0	6.77	6.65	-	-	0.0	P	-	-	6.0	B	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
149	17695A0237	22.0	22.0	6.5	6.39	-	-	0.0	P	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	8.0	A	8.0	A	6.0	B	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-
150	17695A0238	22.0	22.0	6.68	7.15	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	6.0	B	9.0	A+	9.0	A+	7.0	B+	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	
151	17695A0239	22.0	16.0	6.94	6.67	-	-	0.0	P	-	-	-	F	-	-	6.0	B	-	F	6.0	B	9.0	A+	9.0	A+	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-		
152	17695A0240	22.0	22.0	7.09	6.8	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	-	-		
153	17695A0241	22.0	11.0	6.45	6.17	-	-	-	-	-	-	-	-	-	0.0	F	-	F	-	F	7.0	B+	-	F	6.0	B	6.0	B	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	
154	17695A0242	22.0	22.0	8.0	7.88	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	10.0	O	7.0	B+	8.0	A	0.0	P	-	-	-	-	-	-	-	-		
155	17695A0243	22.0	22.0	7.18	6.87	-	-	-	-	6.0	B	-	-	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	10.0	O	7.0	B+	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	
156	17695A0244	22.0	22.0	6.36	6.17	-	-	0.0	P	-	-	-	-	-	-	5.0	C	5.0	C	4.0	P	10.0	O	9.0	A+	7.0	B+	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-
157	17695A0245	22.0	22.0	8.23	8.06	-	-	0.0	P	-	-	8.0	A	-	-	9.0	A+	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
158	17695A0246	22.0	22.0	7.86	7.73	-	-	0.0	P	-	-	8.0	A	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
159	17695A0247	22.0	22.0	6.86	6.7	-	-	0.0	P	-	-	6.0	B	-	-	7.0	B+	6.0	B	6.0	B	8.0	A	9.0	A+	7.0	B+	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	
160	17695A0248	22.0	16.0	6.63	6.07	-	-	0.0	P	-	-	-	-	-	-	5.0	C	-	F	-	F	9.0	A+	8.0	A	6.0	B	6.0	B	-	-	-	-	7.0	B+	-	-	-	-	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019
RESULTS - ELECTRICAL AND ELECTRONICS ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																				
						14CHE402		14CSE302		14CSU406		14ECE404		14ECE405		14EEE115		14EEE116		14EEE117		14EEE207		14EEE208		14EEE416-M1		14ENG103		14ENG303		14HUM303		14HUM402		14ME407		14PHY402				
						Credits: 3.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0				
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	
161	17695A0249	22.0	22.0	8.77	8.85	-	-	0.0	P	-	-	9.0	A+	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	10.0	O	8.0	A	7.0	B+	-	-	-	-	-	-	-	-	-	-			
162	17695A0250	22.0	22.0	7.95	7.47	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-		
163	17695A0252	22.0	22.0	7.36	7.41	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	8.0	A	10.0	O	6.0	B	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	
164	17695A0253	22.0	22.0	8.77	8.5	-	-	0.0	P	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	8.0	A	9.0	A+	-	-	-	-	-	-	-	-	-	-	-		
165	17695A0254	22.0	16.0	5.75	6.05	-	-	-	-	-	-	-	-	-	-	0.0	F	4.0	P	-	F	6.0	B	7.0	B+	6.0	B	6.0	B	-	F	-	-	6.0	B	-	-	-	-	-	-	
166	17695A0255	22.0	22.0	7.73	7.48	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	10.0	O	9.0	A+	7.0	B+	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	
167	17695A0256	22.0	22.0	6.73	6.95	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	5.0	C	9.0	A+	8.0	A	7.0	B+	7.0	B+	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-
168	17695A0257	22.0	22.0	7.0	7.39	-	-	0.0	P	-	-	7.0	B+	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	7.0	B+	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	
169	17695A0258	22.0	22.0	7.0	7.17	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	4.0	P	8.0	A	9.0	A+	8.0	A	8.0	A	0.0	P	-	-	7.0	B+	-	-	-	-	-	-	-
170	17695A0259	22.0	22.0	7.23	6.75	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	7.0	B+	7.0	B+	0.0	P	-	-	-	-	-	-	-	-	-	-	-
171	17695A0261	22.0	22.0	8.77	8.67	-	-	0.0	P	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	-
172	17695A0262	22.0	16.0	5.88	6.0	-	-	0.0	P	-	-	-	-	-	-	0.0	F	4.0	P	0.0	F	7.0	B+	7.0	B+	6.0	B	6.0	B	-	-	-	-	6.0	B	-	-	-	-	-	-	-
173	17695A0263	22.0	22.0	8.05	7.76	-	-	0.0	P	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-
174	17695A0264	22.0	22.0	7.5	7.19	-	-	0.0	P	7.0	B+	-	-	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	9.0	A+	7.0	B+	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-

Course Code	Course Name
14CHE402	GREEN CHEMISTRY AND CATALYSIS FOR SUSTAINABLE ENVIRONMENT
14CSE302	ETHICAL HACKING (AUDIT COURSE)
14CSU406	MOBILE COMPUTING
14ECE404	INTRODUCTION TO MEMS
14ECE405	ROBOTICS
14EEE115	SPECIAL ELECTRICAL MACHINES
14EEE116	POWER SYSTEM ANALYSIS AND CONTROL
14EEE117	DIGITAL SIGNAL PROCESSING
14EEE207	POWER ELECTRONICS PRACTICALS
14EEE208	OBJECT ORIENTED PROGRAMMING PRACTICALS
14EEE416-M1	NON-CONVENTIONAL ENERGY RESOURCES (MOOC)
14ENG103	SOFT SKILLS
14ENG303	PHONETICS AND SPOKEN ENGLISH (AUDIT COURSE)
14HUM303	NATIONAL SERVICE SCHEME (NSS) (AUDIT COURSE)
14HUM402	HUMAN RESOURCE DEVELOPMENT
14ME407	AUTOMATION & ROBOTICS
14PHY402	OPTICAL PHYSICS AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average



MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

P.B NO:14, Angallu, Kadiri Road, Madanapalle - 517325, Chittoor Dist, A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019

RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																									
						14CSE302		14CSU405		14CSU406		14ECE114		14ECE115		14ECE116		14ECE207		14ECE208		14ECE401		14ECE401-M2		14ENG103		14ENG303		14ENG304		14HUM303		14HUM402		14MAT402		14MBA301		14PHY402							
						Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0							
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G				
1	15691A0448	22.0	22.0	5.82	6.76	-	-	-	-	-	-	6.0	B	4.0	P	5.0	C	9.0	A+	7.0	B+	6.0	B	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	6.0	B			
2	15699A0451	0.0	0.0	0.0	5.69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-			
3	16691A0402	22.0	22.0	7.41	7.28	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
4	16691A0403	22.0	22.0	7.68	7.98	0.0	P	-	-	-	-	6.0	B	8.0	A	7.0	B+	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-		
5	16691A0404	22.0	22.0	7.77	7.54	0.0	P	-	-	-	-	7.0	B+	6.0	B	8.0	A	9.0	A+	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-		
6	16691A0405	22.0	22.0	7.41	7.56	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	10.0	O	10.0	O	7.0	B+	-	-	8.0	A	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-		
7	16691A0406	22.0	22.0	7.27	7.29	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	
8	16691A0407	22.0	22.0	9.09	8.77	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	0.0	P	10.0	O	-	-	-	-	-	-	-	-	-	-		
9	16691A0408	22.0	22.0	7.36	7.95	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	-	-	5.0	C	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	
10	16691A0410	22.0	22.0	8.77	8.75	0.0	P	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-		
11	16691A0411	22.0	19.0	6.21	6.46	-	-	-	-	-	-	6.0	B	4.0	P	5.0	C	9.0	A+	8.0	A	-	-	F	-	6.0	B	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	
12	16691A0412	22.0	22.0	7.55	7.85	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	
13	16691A0413	22.0	22.0	6.27	6.93	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	10.0	O	8.0	A	-	-	4.0	P	5.0	C	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	
14	16691A0414	22.0	22.0	9.45	9.6	-	-	-	-	-	-	10.0	O	9.0	A+	10.0	O	10.0	O	10.0	O	10.0	O	-	-	8.0	A	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	
15	16691A0415	22.0	22.0	5.95	6.42	-	-	-	-	6.0	B	7.0	B+	5.0	C	4.0	P	8.0	A	8.0	A	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-
16	16691A0416	22.0	22.0	8.09	8.69	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A		
17	16691A0420	22.0	22.0	7.41	7.55	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	8.0	A		
18	16691A0422	22.0	22.0	7.27	7.04	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	7.0	B+			
19	16691A0423	22.0	22.0	7.77	7.55	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	8.0	A			
20	16691A0424	22.0	22.0	6.86	8.02	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	9.0	A+	8.0	A	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	8.0	A			
21	16691A0425	22.0	19.0	6.21	6.86	-	-	5.0	C	-	-	6.0	B	7.0	B+	5.0	C	9.0	A+	8.0	A	-	-	F	-	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-			
22	16691A0426	22.0	22.0	5.55	7.02	-	-	-	-	5.0	C	7.0	B+	4.0	P	5.0	C	8.0	A	8.0	A	-	-	4.0	P	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	F	-	-	-	
23	16691A0427	22.0	22.0	7.55	8.09	-	-	-	-	8.0	A	9.0	A+	7.0	B+	8.0	A	8.0	A	9.0	A+	-	-	4.0	P	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
24	16691A0428	22.0	22.0	5.82	5.74	-	-	-	-	6.0	B	6.0	B	5.0	C	4.0	P	8.0	A	8.0	A	6.0	B	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-
25	16691A0429	22.0	5.0	6.8	6.55	-	-	-	-	-	Ab	-	Ab	-	F	-	F	-	F	8.0	A	-	-	F	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-
26	16691A0430	22.0	22.0	7.09	7.43	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	6.0	B			
27	16691A0431	22.0	22.0	7.41	7.87	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	9.0	A+				
28	16691A0432	22.0	22.0	6.32	7.02	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	9.0	A+	8.0	A	-	-	4.0	P	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	6.0	B				
29	16691A0433	22.0	22.0	7.0	6.95	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	6.0	B	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	5.0	C			
30	16691A0434	22.0	22.0	6.73	7.2	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	8.0	A	9.0	A+	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-	
31	16691A0436	22.0	22.0	7.0	7.46	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-
32	16691A0437	22.0	22.0	8.95	9.14	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	10.0	O			
33	16691A0438	22.0	22.0	7.68	8.06	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	9.0	A+			
34	16691A0439	22.0	22.0	8.77	9.2	-	-	-	-	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-		
35	16691A0440	22.0	22.0	7.82	7.93	-	-	-	-	7.0	B+	8.0	A	9.0	A+	8.0	A	9.0	A+	8.0	A	8.0	A	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-	-	-	-
36	16691A0441	22.0	19.0	6.42	7.26	-	-	-	F	-	-	6.0	B	6.0	B	5.0	C	10.0	O	9.0	A+	6.0	B	-	-	5.0	C	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-			
37	16691A0443	22.0	19.0	7.11	7.81	-	-	-	F	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	9.0	A+	7.0	B+	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-			

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average, CGPA - Cumulative Grade Points Average

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019
RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																			
						14CSE302		14CSU405		14CSU406		14ECE114		14ECE115		14ECE116		14ECE207		14ECE208		14ECE401		14ECE401-M2		14ENG103		14ENG303		14ENG304		14HUM303		14HUM402		14MAT402		14MBA301		14PHY402	
						Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	16691A0444	22.0	22.0	8.09	8.49	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	
39	16691A0445	22.0	22.0	8.0	7.75	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-
40	16691A0447	22.0	16.0	5.94	5.94	-	-	-	-	6.0	B	6.0	B	5.0	C	4.0	P	8.0	A	8.0	A	-	F	-	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-			
41	16691A0448	22.0	22.0	6.27	7.02	0.0	P	-	-	6.0	B	7.0	B+	6.0	B	6.0	B	7.0	B+	8.0	A	6.0	B	-	-	5.0	C	-	-	-	-	-	-	-	-	-	-	-			
42	16691A0449	22.0	22.0	7.68	8.05	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A		
43	16691A0450	22.0	22.0	8.23	8.28	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	8.0	A	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	8.0	A	
44	16691A0451	22.0	22.0	9.45	9.37	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	9.0	A+	-	-	-	-	0.0	P	-	-	-	-	-	10.0	O	
45	16691A0452	22.0	22.0	7.82	8.34	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	0.0	P	-	-	-	-	-	8.0	A	
46	16691A0453	22.0	22.0	6.77	6.61	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	6.0	B	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
47	16691A0454	22.0	22.0	7.27	7.87	0.0	P	-	-	6.0	B	7.0	B+	6.0	B	8.0	A	10.0	O	10.0	O	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-		
48	16691A0455	22.0	22.0	6.14	6.96	-	-	-	-	-	-	5.0	C	5.0	C	6.0	B	7.0	B+	8.0	A	7.0	B+	-	-	6.0	B	-	-	0.0	P	-	-	-	-	-	-	6.0	B		
49	16691A0456	22.0	22.0	7.09	7.45	-	-	-	-	-	-	7.0	B+	5.0	C	6.0	B	10.0	O	8.0	A	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	7.0	B+		
50	16691A0457	22.0	19.0	8.0	8.08	-	-	-	-	-	-	7.0	B+	-	F	8.0	A	9.0	A+	10.0	O	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	8.0	A		
51	16691A0458	22.0	22.0	8.5	8.67	-	-	-	-	-	-	7.0	B+	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	9.0	A+		
52	16691A0459	22.0	22.0	5.45	7.34	-	-	-	-	-	-	5.0	C	6.0	B	4.0	P	7.0	B+	8.0	A	5.0	C	-	-	5.0	C	-	-	-	-	-	-	-	-	0.0	P	5.0	C		
53	16691A0460	22.0	22.0	8.41	8.46	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	0.0	P	9.0	A+	-	-	-	-	-	
54	16691A0461	22.0	22.0	9.32	9.57	-	-	-	-	-	-	9.0	A+	9.0	A+	10.0	O	10.0	O	10.0	O	-	-	8.0	A	9.0	A+	0.0	P	-	-	-	-	-	10.0	O	-	-	-	-	
55	16691A0462	22.0	22.0	8.82	9.13	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	9.0	A+	-	-	-	-
56	16691A0463	22.0	19.0	6.79	6.74	-	-	-	-	-	-	6.0	B	-	F	4.0	P	9.0	A+	9.0	A+	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
57	16691A0464	22.0	22.0	8.59	8.88	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-
58	16691A0465	22.0	22.0	8.05	8.33	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	-	-
59	16691A0466	22.0	22.0	7.95	8.52	-	-	-	-	-	-	7.0	B+	6.0	B	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	
60	16691A0467	22.0	16.0	6.5	6.79	-	-	-	-	-	-	-	F	-	F	6.0	B	7.0	B+	9.0	A+	6.0	B	-	-	6.0	B	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-
61	16691A0468	22.0	19.0	6.74	6.63	-	-	-	-	-	-	6.0	B	-	F	4.0	P	7.0	B+	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	
62	16691A0469	22.0	22.0	8.23	8.57	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
63	16691A0470	22.0	22.0	8.91	9.06	-	-	-	-	-	-	8.0	A	9.0	A+	10.0	O	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	
64	16691A0471	22.0	22.0	7.82	8.08	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
65	16691A0472	22.0	22.0	7.36	7.37	-	-	-	-	-	-	7.0	B+	5.0	C	6.0	B	9.0	A+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-
66	16691A0473	22.0	22.0	8.09	8.75	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	0.0	P	-	-	
67	16691A0474	22.0	22.0	8.82	9.22	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	
68	16691A0475	22.0	22.0	8.23	8.52	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	8.0	A	0.0	P	-	-	
69	16691A0476	22.0	22.0	7.64	7.88	-	-	-	-	-	-	7.0	B+	5.0	C	7.0	B+	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	0.0	P	8.0	A	-	-	-	-	-	
70	16691A0477	22.0	22.0	8.59	8.43	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	9.0	A+	9.0	A+	10.0	O	-	-	8.0	A	-	-	0.0	P	-	-	9.0	A+	-	-	-	-	-	
71	16691A0478	22.0	22.0	7.64	7.6	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	0.0	P	8.0	A		
72	16691A0479	22.0	22.0	8.64	8.73	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	
73	16691A0480	22.0	22.0	8.68	8.78	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	
74	16691A0481	22.0	16.0	6.31	6.73	-	-	-	-	-	-	-	F	-	F	4.0	P	8.0	A	8.0	A	6.0	B	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-
75	16691A0482	22.0	22.0	8.5	8.83	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	
76	16691A0483	22.0	22.0	8.5	8.95	-	-	-	-	-	-	8.0	A	7.0	B+	9.0	A+	10.0	O	10.0	O	9.0	A+	-	-	7.0	B+	-	-	-	-	-	-	-	9.0	A+	0.0	P	-	-	
77	16691A0484	22.0	19.0	6.58	6.66	-	-	-	-	-	-	5.0	C	-	F	4.0	P	9.0	A+	10.0	O	8.0	A	-	-	6.0	B	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-
78	16691A0486	22.0	22.0	7.64	7.55	-	-	-	-	-	-	8.0	A	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	-	7.0	B+	0.0	P	-	-	

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019
RESULTS - ELECTRONICS AND COMMUNICATION ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																																					
						14CSE302		14CSU405		14CSU406		14ECE114		14ECE115		14ECE116		14ECE207		14ECE208		14ECE401		14ECE401-M2		14ENG103		14ENG303		14ENG304		14HUM303		14HUM402		14MAT402		14MBA301		14PHY402			
						Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 0.0		Credits: 0.0		Credits: 3.0		Credits: 3.0		Credits: 0.0		Credits: 3.0			
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G		
284	16699A0467	22.0	22.0	6.95	7.46	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	7.0	B+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-
285	16699A0468	22.0	22.0	7.41	6.63	-	-	-	-	-	-	8.0	A	6.0	B	6.0	B	10.0	O	7.0	B+	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-		
286	16699A0469	22.0	19.0	6.32	7.33	0.0	P	-	-	-	-	7.0	B+	-	F	5.0	C	8.0	A	7.0	B+	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	-	-	-	-		
287	16699A0471	22.0	22.0	7.91	8.43	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	10.0	O	8.0	A	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-		
288	16699A0472	22.0	16.0	8.19	7.25	-	-	-	-	-	-	7.0	B+	-	F	0.0	F	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-		
289	16699A0473	22.0	22.0	7.77	7.65	-	-	-	-	-	-	8.0	A	6.0	B	6.0	B	10.0	O	8.0	A	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-		
290	16699A0474	22.0	22.0	7.91	8.17	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	10.0	O	8.0	A	9.0	A+	-	-	7.0	B+	-	-	0.0	P	-	-	8.0	A	-	-	-	-	-	-		
291	16699A0475	22.0	22.0	7.05	6.64	-	-	-	-	6.0	B	7.0	B+	7.0	B+	7.0	B+	8.0	A	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
292	16699A0476	22.0	16.0	6.06	6.05	-	-	-	-	-	-	-	F	-	F	5.0	C	7.0	B+	7.0	B+	6.0	B	-	-	6.0	B	-	-	-	-	-	-	6.0	B	-	-	0.0	P	-	-		
293	16699A0477	22.0	22.0	7.36	7.29	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	9.0	A+	9.0	A+	8.0	A	-	-	8.0	A	-	-	0.0	P	-	-	-	-	6.0	B	-	-	-	-		
294	16699A0478	22.0	22.0	6.41	6.74	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	7.0	B+	8.0	A	-	-	4.0	P	7.0	B+	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-		
295	16699A0479	22.0	22.0	6.86	6.81	-	-	-	-	6.0	B	6.0	B	7.0	B+	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-			
296	16699A0480	22.0	19.0	6.16	6.35	-	-	-	-	5.0	C	6.0	B	4.0	P	-	F	8.0	A	7.0	B+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
297	16699A0481	22.0	19.0	5.84	6.4	-	-	-	-	4.0	P	6.0	B	6.0	B	-	F	8.0	A	7.0	B+	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
298	16699A0482	22.0	22.0	8.23	8.02	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
299	16699A0483	22.0	22.0	6.95	6.96	-	-	-	-	6.0	B	7.0	B+	5.0	C	5.0	C	9.0	A+	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
300	16699A0484	22.0	22.0	7.86	7.9	-	-	-	-	7.0	B+	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
301	16699A0485	22.0	22.0	7.05	6.64	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	9.0	A+	7.0	B+	7.0	B+	-	-	7.0	B+	-	-	0.0	P	-	-	7.0	B+	-	-	-	-	-	-		
302	16699A0486	22.0	22.0	9.09	9.34	-	-	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
303	16699A0487	22.0	22.0	7.64	7.71	-	-	-	-	-	-	8.0	A	8.0	A	6.0	B	10.0	O	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	-	-	0.0	P	-	-		
304	16699A0488	22.0	22.0	6.86	7.05	-	-	-	-	-	-	7.0	B+	6.0	B	5.0	C	9.0	A+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	0.0	P	7.0	B+	-	-	-	-	-	-		
305	16699A0489	22.0	22.0	6.82	7.95	-	-	-	-	6.0	B	7.0	B+	6.0	B	4.0	P	10.0	O	8.0	A	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
306	16699A0490	22.0	22.0	7.36	7.65	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	10.0	O	8.0	A	8.0	A	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
307	16699A0491	22.0	16.0	6.13	6.77	-	-	-	-	4.0	P	-	F	-	F	5.0	C	9.0	A+	7.0	B+	7.0	B+	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
308	16699A0492	22.0	22.0	7.64	8.04	-	-	-	-	6.0	B	8.0	A	7.0	B+	7.0	B+	10.0	O	8.0	A	8.0	A	-	-	8.0	A	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
309	16699A0493	22.0	10.0	7.2	6.35	-	-	-	-	-	F	-	F	-	F	-	F	7.0	B+	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
310	16699A0494	22.0	22.0	7.73	7.73	-	-	-	-	7.0	B+	8.0	A	6.0	B	6.0	B	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
311	16699A0495	22.0	22.0	7.59	7.42	-	-	-	-	-	-	8.0	A	7.0	B+	6.0	B	8.0	A	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-		
312	16699A0496	22.0	22.0	7.23	7.57	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	10.0	O	8.0	A	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
313	16699A0497	22.0	22.0	7.32	6.91	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	8.0	A	8.0	A	8.0	A	-	-	7.0	B+	-	-	-	-	-	-	9.0	A+	-	-	0.0	P	-	-		
314	16699A0498	22.0	22.0	6.86	7.27	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-	7.0	B+	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-		
315	16699A0499	22.0	22.0	6.82	8.0	-	-	-	-	7.0	B+	8.0	A	7.0	B+	5.0	C	10.0	O	8.0	A	-	-	4.0	P	7.0	B+	-	-	-	-	-	-	-	-	-	-	0.0	P	-	-		
316	16699A04A0	22.0	22.0	7.14	7.99	0.0	P	-	-	6.0	B	7.0	B+	6.0	B	6.0	B	9.0	A+	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-			
317	16699A04A1	22.0	22.0	7.05	6.98	-	-	-	-	-	-	6.0	B	6.0	B	5.0	C	8.0	A	8.0	A	8.0	A	-	-	8.0	A	-	-	-	-	-	-	8.0	A	-	-	0.0	P	-	-		
318	16699A04A2	22.0	16.0	6.0	6.88	-	-	-	-	-	F	6.0	B	4.0	P	-	F	7.0	B+	8.0	A	5.0	C	-	-	7.0	B+	-	-	-	-	0.0	P	-	-	-	-	-	-	-			
319	16699A04A3	22.0	22.0	7.73	7.87	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	10.0	O	9.0	A+	8.0	A	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-			
320	16699A04A4	22.0	22.0	6.91	7.69	-	-	-	-	6.0	B	8.0	A	7.0	B+	5.0	C	10.0	O	9.0	A+	-	-	4.0	P	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-			
321	16699A04A5	22.0	22.0	7.91	8.38	-	-	-	-	8.0	A	8.0	A	7.0	B+	8.0	A	10.0	O	8.0	A	8.0	A	-	-	7.0	B+	-	-	0.0	P	-	-	-	-	-	-	-	-	-	-		
322	16699A04A6	22.0	22.0	8.64	8.84	-	-	-	-	8.0	A	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-	-		
323	16699A04A7	22.0	22.0	9.23	9.42	0.0	P	-	-	-	-	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	10.0	O	-	-	9.0	A+	-	-	-	-	-	-	-	-	-	-	-	-	10.0	O		
324	16699A04A8	22.0	22.0	8.14	8.25	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	10.0	O	9.0	A+	9.0	A+	-	-	8.0	A	0.0	P	-	-	-	-	-	-	-	-	-	-	-			

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average



MADANAPALLE INSTITUTE OF TECHNOLOGY AND SCIENCE

(UGC - Autonomous)

(Approved by AICTE, New Delhi & Affiliated to JNTUA, Ananthapuramu)

P.B NO:14, Angallu, Kadiri Road, Madanapalle - 517325, Chittoor Dist, A.P.

B.Tech. III YEAR II SEMESTER - REGULAR (R14) END SEMESTER EXAMINATION - MAY 2019

RESULTS - MECHANICAL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU405		14CSU406		14ECE404		14ECE407		14HUM402		14ME114		14ME115		14ME116		14ME117		14ME208		14ME209		14ME401-M1		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
1	16691A0304	22.0	16.0	6.19	6.37	-	-	-	-	-	-	5.0	C	-	-	-	-	5.0	C	6.0	B	7.0	B+	-	F	8.0	A	7.0	B+	-	F	-	-
2	16691A0301	22.0	22.0	6.77	7.08	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	9.0	A+	10.0	O	5.0	C	6.0	B		
3	16691A0302	22.0	22.0	7.27	7.41	-	-	-	-	-	-	5.0	C	-	-	-	-	8.0	A	8.0	A	8.0	A	6.0	B	8.0	A	9.0	A+	7.0	B+	-	-
4	16691A0303	22.0	22.0	7.05	7.47	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	8.0	A	7.0	B+	6.0	B	7.0	B+	9.0	A+	6.0	B	-	-
5	16691A0304	22.0	22.0	6.91	7.47	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	4.0	P	10.0	O	9.0	A+	6.0	B	8.0	A		
6	16691A0305	22.0	10.0	6.0	6.16	-	-	-	-	-	-	-	F	-	-	-	-	4.0	P	-	F	6.0	B	-	F	7.0	B+	8.0	A	-	F	-	-
7	16691A0306	22.0	19.0	5.95	6.35	-	-	-	-	-	-	-	-	-	6.0	B	4.0	P	6.0	B	7.0	B+	-	F	7.0	B+	9.0	A+	4.0	P	-	-	
8	16691A0307	22.0	22.0	8.27	8.04	-	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	7.0	B+	10.0	O	9.0	A+	6.0	B	9.0	A+		
9	16691A0308	22.0	22.0	6.36	6.12	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	7.0	B+	6.0	B	7.0	B+	9.0	A+	4.0	P	-	-	
10	16691A0309	22.0	19.0	6.26	6.29	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	6.0	B	6.0	B	-	F	7.0	B+	9.0	A+	5.0	C	-	-	
11	16691A0310	22.0	16.0	6.5	6.38	-	-	-	F	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	-	F	7.0	B+	9.0	A+	5.0	C	-	-		
12	16691A0311	22.0	22.0	7.41	7.39	-	-	-	-	-	-	-	-	-	9.0	A+	6.0	B	9.0	A+	7.0	B+	6.0	B	8.0	A	9.0	A+	6.0	B	-	-	
13	16691A0312	22.0	22.0	6.41	6.54	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	5.0	C	7.0	B+	8.0	A	7.0	B+	6.0	B		
14	16691A0313	22.0	22.0	7.36	7.36	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	5.0	C	-	-	
15	16691A0315	22.0	22.0	9.05	9.29	-	-	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	9.0	A+	-	-
16	16691A0316	22.0	22.0	7.77	7.54	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	
17	16691A0317	22.0	19.0	7.26	6.89	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	-	F	9.0	A+	9.0	A+	7.0	B+	-	-	
18	16691A0318	22.0	22.0	6.73	6.43	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	7.0	B+	5.0	C	8.0	A	9.0	A+	6.0	B	-	-	
19	16691A0319	22.0	19.0	6.26	6.1	-	-	-	-	-	-	-	F	-	-	-	-	6.0	B	6.0	B	7.0	B+	4.0	P	8.0	A	8.0	A	6.0	B	-	-
20	16691A0320	22.0	19.0	5.84	6.58	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	4.0	P	6.0	B	-	F	7.0	B+	8.0	A	6.0	B	-	-	
21	16691A0321	22.0	22.0	6.36	6.23	-	-	-	-	6.0	B	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	5.0	C	7.0	B+	9.0	A+	6.0	B	-	-
22	16691A0322	22.0	13.0	4.92	6.86	-	-	-	-	-	F	-	-	-	-	-	-	4.0	P	-	F	4.0	P	-	F	7.0	B+	7.0	B+	4.0	P	-	-
23	16691A0323	22.0	22.0	7.5	7.43	-	-	-	-	-	-	-	-	-	8.0	A	7.0	B+	8.0	A	8.0	A	6.0	B	9.0	A+	9.0	A+	6.0	B	-	-	
24	16691A0324	22.0	22.0	8.0	8.52	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	7.0	B+	-	-	
25	16691A0325	22.0	19.0	6.53	6.53	-	-	-	-	-	-	-	-	-	-	5.0	C	7.0	B+	6.0	B	6.0	B	8.0	A	9.0	A+	6.0	B	-	F		
26	16691A0326	22.0	13.0	7.85	6.98	-	-	-	F	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	-	F	9.0	A+	9.0	A+	-	F	-	-
27	16691A0327	22.0	22.0	7.0	7.13	-	-	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	8.0	A	8.0	A	6.0	B	8.0	A	9.0	A+	4.0	P	-	-
28	16691A0328	22.0	22.0	8.68	8.83	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	7.0	B+	-	-	
29	16691A0329	22.0	22.0	8.59	8.76	-	-	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	9.0	A+	6.0	B	-	-
30	16691A0330	22.0	22.0	5.64	6.78	-	-	-	-	4.0	P	-	-	-	-	-	-	5.0	C	6.0	B	6.0	B	5.0	C	6.0	B	8.0	A	6.0	B	-	-
31	16691A0331	22.0	22.0	9.23	8.87	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	10.0	O	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	10.0	O
32	16691A0332	22.0	22.0	6.36	6.23	-	-	-	-	-	-	-	-	-	6.0	B	-	-	7.0	B+	7.0	B+	5.0	C	7.0	B+	9.0	A+	5.0	C	-	-	
33	16691A0333	22.0	16.0	5.88	6.32	-	-	-	F	-	-	-	-	-	-	-	-	-	F	4.0	P	6.0	B	4.0	P	8.0	A	9.0	A+	6.0	B	-	-
34	16691A0334	22.0	22.0	8.82	8.56	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	8.0	A	9.0	A+
35	16691A0335	22.0	22.0	7.0	6.81	-	-	-	-	-	-	-	-	-	-	-	-	6.0	B	6.0	B	8.0	A	6.0	B	8.0	A	9.0	A+	7.0	B+	7.0	B+
36	16691A0336	22.0	19.0	7.37	7.02	-	-	-	-	-	F	-	-	-	-	-	-	7.0	B+	7.0	B+	8.0	A	6.0	B	8.0	A	8.0	A	8.0	A	-	-
37	16691A0337	22.0	22.0	7.5	7.46	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average, CGPA - Cumulative Grade Points Average

RESULTS - MECHANICAL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU405		14CSU406		14ECE404		14ECE407		14HUM402		14ME114		14ME115		14ME116		14ME117		14ME208		14ME209		14ME401-M1		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
38	16691A0338	22.0	22.0	7.36	6.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
39	16691A0339	22.0	22.0	6.77	6.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
40	16691A0340	22.0	22.0	6.59	6.45	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
41	16691A0341	22.0	22.0	7.32	7.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
42	16691A0342	22.0	22.0	8.68	9.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
43	16691A0343	22.0	22.0	5.82	6.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
44	16691A0344	22.0	22.0	7.32	7.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
45	16691A0345	22.0	3.0	4.0	6.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
46	16691A0346	22.0	19.0	6.0	5.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
47	16691A0347	22.0	22.0	8.18	7.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
48	16691A0349	22.0	22.0	7.59	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
49	16691A0350	22.0	22.0	7.45	7.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50	16691A0351	22.0	16.0	5.63	6.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
51	16691A0352	22.0	22.0	7.27	7.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
52	16691A0353	22.0	19.0	6.47	6.97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
53	16691A0355	22.0	22.0	7.5	7.54	-	-	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
54	16691A0356	22.0	22.0	8.55	8.3	-	-	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
55	16691A0357	22.0	4.0	9.0	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
56	16691A0358	22.0	22.0	8.0	7.81	-	-	-	-	8.0	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
57	16691A0359	22.0	22.0	7.14	6.58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
58	16691A0360	22.0	16.0	6.75	6.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
59	16691A0361	22.0	16.0	6.56	6.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
60	16691A0362	22.0	16.0	6.25	6.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
61	16691A0363	22.0	7.0	7.14	6.33	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
62	16691A0364	22.0	13.0	5.69	5.94	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	16691A0365	22.0	22.0	6.82	7.25	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
64	16691A0367	22.0	16.0	6.06	6.86	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
65	16691A0368	22.0	22.0	7.36	8.19	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
66	16691A0369	22.0	22.0	7.77	7.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
67	16691A0370	22.0	22.0	9.18	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
68	16691A0371	22.0	22.0	6.82	6.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
69	16691A0372	22.0	22.0	7.23	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
70	16691A0373	22.0	19.0	6.63	6.71	-	-	-	-	-	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
71	16691A0374	22.0	16.0	6.38	6.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
72	16691A0375	22.0	22.0	6.91	6.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
73	16691A0376	22.0	22.0	7.0	7.69	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
74	16691A0377	22.0	22.0	8.09	8.35	-	-	7.0	B+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
75	16691A0378	22.0	22.0	6.45	6.39	-	-	4.0	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
76	16691A0379	22.0	22.0	7.23	6.95	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
77	16691A0380	22.0	22.0	6.82	7.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
78	16691A0381	22.0	19.0	6.37	6.23	-	-	6.0	B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - MECHANICAL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																													
						14CHE402		14CSU405		14CSU406		14ECE404		14ECE407		14HUM402		14ME114		14ME115		14ME116		14ME117		14ME208		14ME209		14ME401-M1		14PHY402			
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0			
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
120	16691A03C5	22.0	7.0	6.43	5.85	-	-	-	-	-	-	-	-	F	-	-	-	-	F	-	F	5.0	C	-	F	7.0	B+	8.0	A	-	F	-	-		
121	16691A03C7	22.0	22.0	7.27	7.72	-	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	6.0	B	9.0	A+	8.0	A	6.0	B	-	-		
122	16691A03C9	22.0	22.0	7.14	7.21	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	6.0	B	-	-		
123	16691A03D0	22.0	16.0	5.44	6.03	-	-	-	-	-	-	-	-	-	-	6.0	B	-	F	4.0	P	4.0	P	-	F	7.0	B+	8.0	A	5.0	C	-	-		
124	16691A03D1	22.0	22.0	8.18	7.62	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	5.0	C	-	-		
125	16691A03D2	22.0	19.0	5.84	6.64	-	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	4.0	P	6.0	B	-	F	7.0	B+	8.0	A	6.0	B	-	-		
126	16691A03D4	22.0	7.0	6.71	6.67	-	-	-	-	-	-	-	-	Ab	-	-	-	-	F	-	F	5.0	C	-	F	8.0	A	8.0	A	-	F	-	-		
127	16691A03D5	22.0	22.0	6.32	6.53	-	-	-	-	5.0	C	-	-	-	-	-	-	6.0	B	6.0	B	7.0	B+	5.0	C	9.0	A+	8.0	A	6.0	B	-	-		
128	16691A03D6	22.0	19.0	6.16	6.2	-	-	-	-	6.0	B	-	-	-	-	-	-	4.0	P	7.0	B+	6.0	B	-	F	8.0	A	7.0	B+	6.0	B	-	-		
129	16691A03D7	22.0	19.0	5.95	5.9	-	-	-	-	-	-	6.0	B	-	-	-	-	-	F	6.0	B	6.0	B	5.0	C	8.0	A	8.0	A	4.0	P	-	-		
130	16691A03D8	22.0	22.0	8.27	7.89	-	-	-	-	-	-	-	-	-	-	7.0	B+	10.0	O	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	6.0	B	-	-		
131	16691A03E0	22.0	22.0	5.82	6.52	-	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	5.0	C	6.0	B	4.0	P	8.0	A	8.0	A	6.0	B	-	-		
132	16691A03E1	22.0	19.0	5.68	5.89	-	-	-	-	-	-	-	-	-	-	7.0	B+	-	F	4.0	P	5.0	C	4.0	P	7.0	B+	8.0	A	6.0	B	-	-		
133	16691A03E2	22.0	22.0	8.32	7.35	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	8.0	A	10.0	O	8.0	A	7.0	B+	-	-		
134	16691A03E3	22.0	22.0	7.36	7.25	-	-	-	-	-	-	6.0	B	-	-	-	-	8.0	A	7.0	B+	8.0	A	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-		
135	16691A03E5	22.0	22.0	6.55	6.95	-	-	-	-	-	-	6.0	B	-	-	-	-	5.0	C	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	6.0	B	-	-		
136	16691A03E6	22.0	22.0	7.64	7.9	-	-	-	-	-	-	7.0	B+	-	-	-	-	7.0	B+	7.0	B+	8.0	A	7.0	B+	10.0	O	8.0	A	8.0	A	-	-		
137	16691A03E7	22.0	22.0	7.09	6.82	-	-	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	10.0	O	8.0	A	7.0	B+	-	-		
138	16691A03E8	22.0	22.0	8.95	8.63	-	-	-	-	8.0	A	-	-	-	-	-	-	10.0	O	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	8.0	A	-	-		
139	16691A03E9	22.0	22.0	6.82	6.52	-	-	-	-	6.0	B	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	6.0	B	9.0	A+	9.0	A+	7.0	B+	-	-		
140	16695A0353	22.0	13.0	5.92	6.22	-	-	-	-	-	-	-	-	-	-	5.0	C	-	F	6.0	B	-	F	-	F	8.0	A	8.0	A	4.0	P	-	-		
141	16699A0301	22.0	22.0	8.05	8.38	-	-	-	-	8.0	A	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	9.0	A+	7.0	B+	-	-		
142	16699A0302	22.0	22.0	7.14	7.02	-	-	4.0	P	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	6.0	B	9.0	A+	8.0	A	7.0	B+	-	-		
143	16699A0303	22.0	22.0	6.64	6.64	-	-	-	-	7.0	B+	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	8.0	A	8.0	A	5.0	C	-	-		
144	16699A0304	22.0	22.0	6.73	6.51	-	-	-	-	6.0	B	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	5.0	C	9.0	A+	8.0	A	7.0	B+	-	-		
145	16699A0305	22.0	22.0	8.64	8.52	-	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	8.0	A	10.0	O	10.0	O	7.0	B+	9.0	A+		
146	16699A0306	22.0	22.0	5.86	6.08	-	-	5.0	C	-	-	-	-	-	-	-	-	6.0	B	6.0	B	4.0	P	6.0	B	7.0	B+	8.0	A	6.0	B	-	-		
147	16699A0307	22.0	22.0	8.68	8.36	-	-	-	-	7.0	B+	-	-	-	-	-	-	10.0	O	9.0	A+	8.0	A	9.0	A+	10.0	O	9.0	A+	8.0	A	-	-		
148	16699A0308	22.0	16.0	5.69	6.28	-	-	-	-	4.0	P	-	-	-	-	-	-	-	F	5.0	C	6.0	B	-	F	9.0	A+	8.0	A	4.0	P	-	-		
149	16699A0309	22.0	22.0	6.59	6.69	-	-	-	-	6.0	B	-	-	-	-	-	-	6.0	B	7.0	B+	7.0	B+	6.0	B	9.0	A+	8.0	A	5.0	C	-	-		
150	16699A0312	22.0	19.0	6.21	6.22	-	-	-	-	-	-	4.0	P	-	-	-	-	6.0	B	6.0	B	6.0	B	0.0	F	9.0	A+	8.0	A	6.0	B	-	-		
151	16699A0313	22.0	22.0	8.41	8.57	-	-	-	-	-	-	7.0	B+	-	-	-	-	10.0	O	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	6.0	B	-	-		
152	16699A0315	22.0	19.0	6.32	6.69	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	6.0	B	-	F	6.0	B	7.0	B+	8.0	A	5.0	C	-	-
153	16699A0316	22.0	22.0	8.68	8.19	-	-	-	-	9.0	A+	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-		
154	16699A0317	22.0	22.0	8.55	7.96	-	-	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	9.0	A+	8.0	A	-	-		
155	16699A0318	22.0	22.0	8.32	8.12	-	-	-	-	8.0	A	-	-	-	-	-	-	9.0	A+	9.0	A+	8.0	A	7.0	B+	10.0	O	8.0	A	8.0	A	-	-		
156	16699A0319	22.0	22.0	8.55	8.4	-	-	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	9.0	A+	9.0	A+	9.0	A+	10.0	O	9.0	A+	7.0	B+	-	-
157	16699A0320	22.0	22.0	6.86	6.76	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	6.0	B	9.0	A+	8.0	A	6.0	B	-	-
158	17690A0301	22.0	22.0	7.09	6.98	-	-	-	-	7.0	B+	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	10.0	O	8.0	A	6.0	B	-	-		
159	17690A0302	22.0	22.0	8.27	8.23	-	-	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	8.0	A	7.0	B+	7.0	B+	10.0	O	9.0	A+	8.0	A	-	-		
160	17690A0303	22.0	19.0	7.0	6.68	-	-	-	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	7.0	B+	6.0	B	-	F	9.0	A+	8.0	A	6.0	B	-	-

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - MECHANICAL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU405		14CSU406		14ECE404		14ECE407		14HUM402		14ME114		14ME115		14ME116		14ME117		14ME208		14ME209		14ME401-M1		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G
202	17695A0331	22.0	22.0	8.77	8.34	-	-	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	-	-
203	17695A0332	22.0	22.0	8.64	8.3	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	9.0	A+	9.0	A+	10.0	O	10.0	O	7.0	B+	-	-
204	17695A0333	22.0	22.0	7.09	6.91	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	7.0	B+	7.0	B+	9.0	A+	9.0	A+	5.0	C	-	-	
205	17695A0334	22.0	22.0	8.5	8.67	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	-	-	
206	17695A0335	22.0	22.0	7.91	7.68	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	9.0	A+	9.0	A+	7.0	B+	7.0	B+	
207	17695A0336	22.0	22.0	8.14	8.14	-	-	6.0	B	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	7.0	B+	-	-	
208	17695A0337	22.0	22.0	8.41	8.19	-	-	7.0	B+	-	-	-	-	-	-	-	9.0	A+	8.0	A	10.0	O	8.0	A	9.0	A+	10.0	O	7.0	B+	-	-	
209	17695A0338	22.0	22.0	6.91	6.78	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	6.0	B	5.0	C	9.0	A+	10.0	O	7.0	B+	-	-	
210	17695A0339	22.0	22.0	8.41	8.68	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	9.0	A+	6.0	B	-	-
211	17695A0340	22.0	22.0	8.41	7.98	-	-	-	-	-	-	8.0	A	-	-	-	-	9.0	A+	8.0	A	9.0	A+	8.0	A	9.0	A+	10.0	O	7.0	B+	-	-
212	17695A0341	22.0	22.0	6.68	6.25	-	-	-	-	-	-	-	-	6.0	B	-	-	6.0	B	6.0	B	7.0	B+	5.0	C	9.0	A+	9.0	A+	7.0	B+	-	-
213	17695A0342	22.0	22.0	8.36	8.17	-	-	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	8.0	A	9.0	A+	6.0	B	10.0	O	10.0	O	7.0	B+	-	-
214	17695A0343	22.0	22.0	6.59	6.81	-	-	-	-	-	-	-	-	-	7.0	B+	7.0	B+	6.0	B	7.0	B+	5.0	C	8.0	A	9.0	A+	5.0	C	-	-	
215	17695A0344	22.0	22.0	6.64	6.55	-	-	6.0	B	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	4.0	P	9.0	A+	10.0	O	6.0	B	-	-	
216	17695A0345	22.0	22.0	8.09	8.13	-	-	6.0	B	-	-	-	-	-	-	-	9.0	A+	8.0	A	9.0	A+	7.0	B+	10.0	O	10.0	O	7.0	B+	-	-	
217	17695A0346	22.0	22.0	7.05	6.6	-	-	-	-	-	-	6.0	B	-	-	-	7.0	B+	6.0	B	8.0	A	6.0	B	9.0	A+	10.0	O	6.0	B	-	-	
218	17695A0347	22.0	22.0	8.18	8.5	-	-	-	-	-	-	-	-	-	8.0	A	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	9.0	A+	7.0	B+	-	-	
219	17695A0348	22.0	22.0	6.95	6.51	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	6.0	B	7.0	B+	5.0	C	9.0	A+	9.0	A+	6.0	B	-	-	
220	17695A0349	22.0	22.0	7.41	7.08	-	-	-	-	-	-	-	-	-	7.0	B+	8.0	A	7.0	B+	8.0	A	7.0	B+	9.0	A+	8.0	A	6.0	B	-	-	
221	17695A0350	22.0	22.0	7.32	7.0	-	-	-	-	-	-	-	-	-	-	-	8.0	A	6.0	B	7.0	B+	7.0	B+	9.0	A+	10.0	O	7.0	B+	6.0	B	
222	17695A0351	22.0	22.0	8.64	8.55	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	9.0	A+	9.0	A+	8.0	A	10.0	O	10.0	O	7.0	B+	8.0	A	
223	17695A0352	22.0	22.0	7.82	7.57	-	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	7.0	B+	7.0	B+	10.0	O	10.0	O	7.0	B+	7.0	B+	
224	17695A0353	22.0	22.0	7.95	7.95	-	-	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	8.0	A	9.0	A+	8.0	A	7.0	B+	8.0	A	
225	17695A0354	22.0	22.0	7.64	7.69	-	-	-	-	-	-	-	-	-	8.0	A	8.0	A	8.0	A	7.0	B+	7.0	B+	9.0	A+	9.0	A+	6.0	B	-	-	
226	17695A0355	22.0	22.0	8.14	7.52	-	-	-	-	8.0	A	-	-	-	-	-	9.0	A+	8.0	A	8.0	A	7.0	B+	9.0	A+	10.0	O	7.0	B+	-	-	
227	17695A0356	22.0	22.0	7.68	7.39	-	-	-	-	-	-	-	-	8.0	A	-	-	7.0	B+	8.0	A	8.0	A	7.0	B+	8.0	A	9.0	A+	7.0	B+	-	-
228	17695A0357	22.0	22.0	8.55	8.07	-	-	-	-	-	-	9.0	A+	-	-	-	-	9.0	A+	8.0	A	9.0	A+	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-
229	17695A0358	22.0	22.0	8.0	7.73	-	-	-	-	-	-	-	-	-	-	-	9.0	A+	7.0	B+	8.0	A	7.0	B+	9.0	A+	10.0	O	7.0	B+	8.0	A	
230	17695A0359	22.0	22.0	7.73	7.34	-	-	-	-	7.0	B+	-	-	-	-	-	8.0	A	6.0	B	8.0	A	7.0	B+	9.0	A+	10.0	O	8.0	A	-	-	
231	17695A0360	22.0	22.0	6.82	6.75	-	-	-	-	-	-	-	-	-	7.0	B+	6.0	B	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	7.0	B+	-	-	
232	17695A0361	22.0	22.0	6.68	6.63	-	-	-	-	-	-	-	-	-	-	-	6.0	B	7.0	B+	6.0	B	5.0	C	9.0	A+	9.0	A+	7.0	B+	6.0	B	
233	17695A0362	22.0	19.0	6.11	5.93	-	-	4.0	P	-	-	-	-	-	-	-	-	F	6.0	B	6.0	B	7.0	B+	8.0	A	8.0	A	5.0	C	-	-	
234	17695A0364	22.0	22.0	6.23	6.26	-	-	-	-	-	-	-	-	-	6.0	B	5.0	C	6.0	B	6.0	B	6.0	B	7.0	B+	9.0	A+	6.0	B	-	-	
235	17695A0365	22.0	16.0	5.56	5.89	-	-	-	-	0.0	F	-	-	-	-	-	5.0	C	5.0	C	4.0	P	-	F	8.0	A	8.0	A	5.0	C	-	-	
236	17695A0366	22.0	22.0	8.27	8.42	-	-	-	-	8.0	A	-	-	-	-	-	8.0	A	9.0	A+	9.0	A+	7.0	B+	9.0	A+	10.0	O	7.0	B+	-	-	
237	17695A0367	22.0	13.0	6.15	6.41	-	-	-	-	-	F	-	-	-	-	-	0.0	F	5.0	C	6.0	B	-	F	8.0	A	8.0	A	5.0	C	-	-	
238	17695A0368	22.0	22.0	7.27	7.25	-	-	-	-	6.0	B	-	-	-	-	-	9.0	A+	8.0	A	7.0	B+	5.0	C	9.0	A+	8.0	A	7.0	B+	-	-	

Course Code	Course Name
14CHE402	GREEN CHEMISTRY AND CATALYSIS FOR SUSTAINABLE ENVIRONMENT

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average

RESULTS - MECHANICAL ENGINEERING (2016 Admitted Batch)

The following is the provisional result of the candidates who appeared for the above Examination.

S.NO	Registered No.	Registered Credits	Earned Credits	SGPA	CGPA	Course Codes																											
						14CHE402		14CSU405		14CSU406		14ECE404		14ECE407		14HUM402		14ME114		14ME115		14ME116		14ME117		14ME208		14ME209		14ME401-M1		14PHY402	
						Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 3.0		Credits: 2.0		Credits: 2.0		Credits: 3.0		Credits: 3.0	
						G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G	G.P	L.G

Course Code	Course Name
14CSU405	HUMAN COMPUTER INTERACTION
14CSU406	MOBILE COMPUTING
14ECE404	INTRODUCTION TO MEMS
14ECE407	PATTERN RECOGNITION & ITS APPLICATIONS
14HUM402	HUMAN RESOURCE DEVELOPMENT
14ME114	PRIME MOVERS & FLUID MACHINES
14ME115	INSTRUMENTATION & CONTROL SYSTEMS
14ME116	FINITE ELEMENT METHODS
14ME117	IC ENGINES
14ME208	IC ENGINES PRACTICALS
14ME209	FLUID MECHANICS & MACHINES PRACTICALS
14ME401-M1	INTRODUCTION TO COMPOSITES (MOOC)
14PHY402	OPTICAL PHYSICS AND APPLICATIONS

Note1 : For the course codes shown in the the header, the corresponding courses names are displayed at the end of the report.

Note2 : G.P - Grade Points, L.G - Letter Grade, SGPA - Semester Grade Points Average,CGPA - Cumulative Grade Points Average